

HEX-NUT WATERTIGHT CONNECTORS - ALUMINUM DIE CAST CHROME PLATED

For Oval Service Entrance Cables UL Listed




Discontinued see WTC-22
 Discontinued see WTC-22
 Discontinued see WTC-23
 Discontinued see WTC-23



Catalog No.	UPC #	Hub Size	Bushings Opening	Oval SEU			
				Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
HN-3N	01056	1"	.58 x .91	3 No. 4	20	100	20
HN-23	01072	1 1/4"	.55 x .78	3 No. 2	10	50	26
HN-23B	01073	1 1/4"	.61 x .98	3 No. 2	10	50	26
HN-33	01070	1 1/4"	.58 x .91	3 No.3	10	50	26
HN-33B	01071	1 1/4"	.66 x 1.06	3 No. 4-3	10	50	26
HN-34B	01069	1 1/4"	.62 x 1.03	3 No. 6-4	10	50	26
HN-211	01085	1 1/2"	.77 X 1.25	3 No. 1	5	25	66
HN-1/0R	01089	1 1/2"	.83 X 1.34	3 No. 1/0	5	25	64
HN-2/0R	01090	1 1/2"	.94 X 1.47	3 No. 2/0	5	25	62
HN-2/0RB	01091	1 1/2"	.85 x 1.39	3 No. 2/0	5	25	63
HN-1/0RS	01095	2"	.94 x 1.47	3 No. 1/0	5	25	55
HN-2/0RSB	01097	2"	.85 x 1.39	3 No. 2/0	5	25	55
HN-2/0RS	01096	2"	.94 x 1.47	3 No. 2/0	5	25	52
HN-3/0R	01098	2"	.97 x 1.56	3 No. 3/0	5	25	52
HN-4/0R	01099	2"	1.16 x 1.72	3 No. 4/0	5	25	52
HN-4/0RB	01100	2"	.98 x 1.63	3 No. 4/0	5	25	52

HEX-NUT STRAIN RELIEF WATERTIGHT CONNECTORS -Zinc

For Round Service Cable - Portable Cords



Catalog No.	UPC #	Hub Size	Bushings Opening	Oval SEU			
				Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
HR-51	01250	1/2"	.19 - .26	---	20	100	10
HR-52	01251	1/2"	.26 - .375	---	20	100	10
HR-53	01252	1/2"	.375 - .500	---	20	100	10
HR-54	01253	1/2"	.38 - .44	Discontinued			
HR-71	01260	3/4"	.375 - .500	---	20	100	11
HR-72	01261	3/4"	.50 - .625	---	20	100	11
HR-73	01262	3/4"	.625 - .750	---	20	100	11
HR-74	01263	3/4"	.56 - .63	Discontinued			

HEX-NUT WATERTIGHT CONNECTORS - Zinc

For Oval Service Entrance Cables * Zinc Die Cast UL Listed



Catalog No.	UPC #	Hub Size	Bushings Opening	Oval SEU			
				Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
WTC-1	01036	1"	.410 x .65	3 No. 8	10	100	34
WTC-2	01037	1"	.460 x .715	3 No. 6	10	100	34
WTC-3	01038	1"	.530 x .850	3 No.4	10	100	34
WTC-11	01039	1 1/4"	.550 x .910	3 No. 3	10	100	52
WTC-12	01040	1 1/4"	.580 x .960	3 No. 2	10	100	52
WTC-13	01041	1 1/4"	.660 x 1.12	3 No. 1	10	100	52
WTC-22	01042	1 1/2"	.705 x 1.195	3 No. 1/0	5	50	65
WTC-23	01043	1 1/2"	.740 x 1.235	3 No. 2/0	5	50	65
WTC-31	01044	2"	.700 x 1.195	3 No. 1/0	5	50	87
WTC-32	01045	2"	.8125 x 1.25	3 No. 2/0	5	50	87
WTC-33	01046	2"	.75 x 1.38	3 No. 3/0	5	50	87
WTC-34	01047	2"	.875 x 1.44	3 No. 4/0	5	50	87
WTC-35	01048	2"	.995 x 1.580	3 No. 4/0	5	50	87

TWO-SCREW TYPE S.E. CABLE CONNECTOR - SAND CAST ALUMINUM

UL Listed



Catalog No.	UPC #	Hub Size	Bushing Opening	Oval SEU		Std. Pkg	Wgt/ 100
				Cable Size	Ctn. Qty		
033R	01135	1 1/4"	.61 x .98	3 No. 3	10	50	31
032R	01137	1 1/4"	.66 x 1.06	3 No. 2	10	50	31
032RB	01138	1 1/4"	.62 x 1.03	3 No. 2	10	50	32
1/0R	01154	1 1/2"	.83 x 1.34	3 No. 1/0	5	25	63
2/0R	01155	1 1/2"	.94 x 1.47	3 No. 2/0	5	25	59
2/0RB	01156	1 1/2"	.85 x 1.39	3 No. 2/0	5	25	63
1/0RS	01159	2"	.83 x 1.34	3 No. 1/0	5	25	61
2/0RS	01160	2"	.94 x 1.47	3 No. 2/0	5	25	65
2/0RSB	01161	2"	.85 x 1.39	3 No. 2/0	5	25	61
3/0R	01162	2"	.97 x 1.56	3 No. 3/0	5	25	60
4/0R	01163	2"	1.16 x 1.72	3 No. 4/0	5	25	56
4/0RB	01164	2"	.98 x 1.63	3 No. 4/0	5	25	59

*NOTE: Connectors should be selected with reference to bushing opening size and actual physical dimensions of cable being used. The letter (B) in the Cat. No. indicates connectors recommended for Plastic Jacketed Cable

NON-WATERTIGHT CONNECTORS - ZINC - PRESSURE CAST

UL Listed



Catalog No.	UPC #	KO Size	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
474	07000	1/2"	3/8" Trade Size	100	1000	5
475	07001	1/2"	3/8" Trade Size	100	1000	6
55	01315	3/4"	3 No. 6-4 Oval-Round	25	250	9
56	01316	1"	3 No. 6-4-2 Oval-Rd	40	200	16
57	01317	1 1/4"	3 No. 6-4-2 Oval	20	100	25
58	01318	1 1/2"	3 No. 1/0-2/0 Oval	10	100	37
59	01319	2"	3 No. 3/0-4/0 Oval	10	50	50
57R	01304	1 1/4"	6 No. 6-4-2 Round	20	100	25
58R	01314	1 1/2"	3 No. 1/0-2/0 Round	10	100	37
59R	01320	2"	3 No. 3/0-4/0 Round	10	50	51

SERVICE CABLE SILL PLATES - CAST ALUMINUM

(With Compound and Screws)



Catalog No.	UPC #	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
12	01461	3 No. 4-2	20	100	19
2	01462	3 No. 4-2	20	100	18
13	01463	3 No. 1/0-2/0	-	10	63
14	01464	3 No. 3/0-4/0	-	10	85
15	01466	3 No. 3/0-4/0	-	10	85
*112	01465	3 No. 4-2	10	100	12

*Gray PVC for 1" E.M.T. or Cable

NON-METALLIC SERVICE ENTRANCE CABLE HEADS



Catalog No.	UPC #	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
24	01351	3 No. 3-1	-	20	42
256	01353	3 No.2/0-4/0	-	20	54

PVC SERVICE ENTRANCE CABLE HEAD WITH GALVANIZED STEEL MOUNTING STRAP



Catalog No.	UPC #	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
355	01354	3 No. 3-2	10	50	26
357	01356	3 No.2/0-4/0	-	10	53

SERVICE ENTRANCE CABLE HEADS - CAST ALUMINUM



Catalog No.	UPC #	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
255	01363	3 No. 3-2	5	50	31
258	01364	3 No.1/0-2/0	-	20	70
257	01365	3 No.3/0-4/0	-	20	93

SERVICE ENTRANCE CABLE HEADS - DIE CAST



Catalog No.	UPC #	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
255DC	20015	3 No. 8-1	5	50	40
257DC	20016	3 No.1/0-4/0	-	20	110

SERVICE CABLE STRAP - STAMPED ALUMINUM (2 HOLE)



Catalog No.	UPC #	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
THC2A	01426	3 No. 3-2	100	1000	2.8
THC2/0A		3 No. 1/0-2/0	50	500	5
THC4/0A		3 No. 3/0-4/0	50	500	5

SERVICE CABLE STRAP - STEEL (2 HOLE)



Catalog No.	UPC #	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
THC6		3 No. 8-2	100	1000	2.6
THC2		3 No. 3-2	100	1000	2.8
THC2/0	01427	3 No. 1/0-2/0	50	500	5
THC4/0	01428	3 No. 3/0-4/0	50	500	5

SERVICE CABLE STRAP - EXTRUDED ALUMINUM (1 HOLE)




Catalog No.	UPC #	Cable Size	Ctn. Qty	Std. Pkg	Wgt/ 100
230-X	01418	3 No. 8-2	100	1000	1.3
232-X	01419	3 No. 3-2	100	1000	2.3
282-X	01420	3 No. 1/0-2/0	50	500	4.5
*282-XB	01421	3 No. 1/0-2/0	50	500	4.5
284-X	01422	3 No. 3/0-4/0	50	500	5
*284-XB	01423	3 No. 3/0-4/0	50	500	5

Also available in Steel!
Change the "X" to "S" when ordering

*For Plastic Jacketed Cable

Heat treated aluminum alloy for greater strength malleability and corrosion resistance. The offset leg provides the necessary leverage for fastening cable with varying outside dimensions.


SERVICE MAST HEADS - COMBINATION SLIPFITTER - ALUMINUM



Catalog No.	UPC #	Pipe Size	Cap Size	Ctn. Qty	Std. Pkg	Wgt/ 100
2400	02000	2"	1 1/4"	10	10	81
2600	02002	2 1/2"	1 1/4"	10	10	93
2550	02001	2"	1 1/2"	10	10	96
2650HC	02003	2 1/2"	2"	10	10	145
3650	20286	3"	2"	1	1	165


SERVICE MAST HEADS - COMBINATION SLIPFITTER - ALUMINUM

Split Insulators for Three Wire Service - Residential




Catalog No.	UPC #	Pipe Size	Cap Size	Ctn. Qty	Std. Pkg	Wgt/ 100
2425	02005	2"	1 1/4"	10	10	60
2625		2 1/2"	1 1/4"	10	10	80
2825	02009	2 1/2"	2"	10	10	130

SERVICE MAST HEADS - CLAMP-ON TYPE - 1/2" - 2" DIE CAST ALUMINUM *2" - 4" SAND CAST



Catalog No.	UPC #	Pipe Size	Insulator Hole Sizes	No. of Holes	Ctn. Qty	Std. Pkg	Wgt/ 100
240DC	20009	1/2"	19/64	4	50	50	25
241DC	20010	3/4"	3/8,13/32	2 / 3	25	25	33
242DC	20011	1"	7/16, 1/2	2 / 3	25	25	50
243DC	20012	1 1/4"	27/64, 5/8	2 / 3	10	10	53
244DC	20013	1 1/2"	19/32, 7/16, 3/4	2 / 1 / 3	10	10	75
245DC	20014	2"	17/32, 3/4, 1	1 / 2 / 3	10	10	85
*245RHC	03035	2"	17/32, 3/4, 1	1 / 2 / 3	10	10	132
*246R	03036	2 1/2"	7/8, 1, 1-1/8, 5/16	3 / 1 / 3	1	1	440
*247R	03037	3"	7/8, 1, 1-1/8, 5/16	3 / 1 / 3	1	1	440
*248R	03038	3 1/2"	1-1/8, 1-3/4	4 / 3	1	1	800
*249R	03039	4"	1-1/8, 1-3/4	4 / 3	1	1	850

SERVICE MAST HEADS - SLIPFITTER - 1/2" - 1 1/2" DIE CAST ALUMINUM *2" - 4" SAND CAST



Catalog No.	UPC #	Pipe Size	Insulator Hole Sizes	No. of Holes	Ctn. Qty	Std. Pkg	Wgt/ 100
290DC	20023	1/2"	19/64	4	50	50	25
291DC	20024	3/4"	3/8,13/32	2 / 3	25	25	33
292DC	20025	1"	7/16, 1/2	2 / 3	25	25	50
293DC	20026	1 1/4"	27/64, 5/8	2 / 3	10	10	53
294DC	20027	1 1/2"	19/32, 7/16, 3/4	2 / 1 / 3	10	10	75
*295HC	03015	2"	17/32, 3/4, 1	1 / 2 / 3	10	10	130
*296	03016	2 1/2"	7/8, 1, 1-1/8, 5/16	3 / 1 / 3	1	1	430
*297	03017	3"	7/8, 1, 1-1/8, 5/16	3 / 1 / 3	1	1	427
*298	03018	3 1/2"	1-1/8, 1-3/4	4 / 3	1	1	790
*299	03019	4"	1-1/8, 1-3/4	2 / 4	1	1	810

SERVICE MAST HEADS - THREADED - 1/2" - 2" DIE CAST ALUMINUM *2 1/2" - 4" SAND CAST



Catalog No.	UPC #	Pipe Size	Insulator Hole Sizes	No. of Holes	Ctn. Qty	Std. Pkg	Wgt/ 100
260DC	20017	1/2"	19/64	4	50	50	25
261DC	20018	3/4"	3/8, 13/32	2 / 3	25	25	33
262DC	20019	1"	7/16, 1/2	2 / 3	25	25	50
263DC	20020	1 1/4"	27/64, 5/8	2 / 3	10	10	53
264DC	20021	1 1/2"	19/32, 7/16, 3/4	2 / 1 / 3	10	10	75
265DC	20022	2"	17/32, 3/4, 1	1 / 2 / 3	10	10	85
*266	03006	2 1/2"	7/8, 1, 1-1/8	3 / 1 / 3	1	1	413
*267	03007	3"	5/16	3 / 1 / 3	1	1	413
*268	03008	3 1/2"	7/8, 1, 1-1/8	4 / 3	1	1	825
*269	03009	4"	1-1/8, 1-3/4	2 / 4	1	1	840
*269-A	03010	5"	1-1/8, 1-3/4	2 / 4	1	1	880
*269-B	03011	6"	1-1/8, 1-3/4	2 / 4	1	1	875

CONDUIT SERVICE HEADS - CLAMP-ON PVC



Catalog No.	UPC #	Pipe Size	Ctn. Qty	Std. Pkg	Wgt/ 100
PVC240	03042	1/2"	-	25	16
PVC241	03043	3/4"	-	25	16
PVC242	03044	1"	-	20	25
PVC243	03045	1 1/4"	-	10	40
PVC244	03046	1 1/2"	-	10	40
PVC245	03047	2"	-	5	80

GALVANIZED ROOF FLASHING WITH NEOPRENE COLLAR



Catalog No.	UPC #	Pipe Size	Base Size	Std. Pkg	Wgt/ 100
2890	02112	1 1/4" - 1 1/2"	8 3/4 x 12 1/2	25	103
2900	02114	2"	10 3/4 x 14 1/2	25	141
3000	02115	2 1/2"	10 3/4 x 14 1/2	12	146
3100	02116	3" - 3 1/2"	10 3/4 x 14 1/2	12	146
3300	02118	4"	12 x 16	12	189

GALVANIZED ROOF FLASHING WITH NEOPRENE COLLAR



Catalog No.	UPC #	Pipe Size	Base Size	Std. Pkg	Wgt/ 100
2890N	02130	1 1/4" - 1 1/2"	9 x 11 1/2	12	53
2900N	02132	2"	9 x 11 1/2	12	53
3000N	02133	2 1/2"	9 x 11 1/2	12	47
3100N	02134	3" - 3 1/2"	10 x 14	12	71

COMBINATION ROOF FLASHINGS & SUPPORTS - CAST ALUMINUM with Compound & Screws



Catalog No.	UPC #	Pipe Size	Base Size	Std. Pkg	Wgt/100
RP125	02100	1 1/4"	7 5/8 x 9 5/8	10	145
RP150	02101	1 1/2"	7 5/8 x 9 5/8	10	211
RP200	02102	2"	10 x 12	10	210
RP250	20001	2 1/2"	10 x 12	10	215
ORP200*	02107	1 1/4" - 2"	8 x 10	10	212

*(ORP200 for use when mast is carried outside of rain gutter)

CONDUIT SUPPORT - LAG SCREW TYPE - EXTRUDED ALUMINUM



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
2350LA	02068	2"	25	31
2850LA	02069	2 1/2"	25	36

CONDUIT SUPPORT - EXTRUDED ALUMINUM with 1/2" x 10" Bolt, Nut & Washer



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
2125-A	02065	1 1/4"	25	67
2350-A	02066	2"	25	77
2850-A	02067	2 1/2"	25	78

CONDUIT SUPPORT - LAG SCREW TYPE - MALLEABLE IRON



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
2350L	02060	2"	25	31
2850L	02061	2 1/2"	25	36

CONDUIT SUPPORT - MALLEABLE IRON with 1/2" x 10" Bolt, Nut & Washer



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
2350	02054	2"	25	77
2850	02055	2 1/2"	25	78

CONDUIT SUPPORT - MALLEABLE IRON with 5/8" x 14" Bolt, Nut & Washer



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
2950	02065	3"	10	250
3050	02066	3 1/2"	10	279
3150	02067	4"	10	284

ADJUSTABLE CONDUIT SUPPORT - STAMPED STEEL with 1/2" x 10" Bolt, Nut & Washer



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
2125	02050	1 1/4" - 3"	20	78

ADJUSTABLE CONDUIT SUPPORT - STAMPED STEEL with LAG SCREW



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
2125L		1 1/4" - 3"	20	78

SERVICE MAST INSULATOR BRACKETS (2 1/4" SPOOL) Non-Adjustable Type - Steel



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
4000	02152	2"	10	152
4050	02153	2 1/2"	10	152
4400	02154	3"	10	240
4500	02155	3 1/2"	10	260
4600	02156	4"	10	260

SERVICE MAST INSULATOR BRACKETS (3" SPOOL) Heavy-Duty Non-Adjustable Type - Steel



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
4400H	02162	3"	5	443
4500H	02163	3 1/2"	5	458
4600H	02164	4"	5	458

CONDUIT HANGER INSULATOR BRACKET



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
4000CH		2"	20	160

SERVICE MAST INSULATOR BRACKETS (2 1/4" SPOOL) Adjustable Type - Steel



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
4900	02150	1 1/4" - 2 1/2"	20	160

ADJUSTABLE WIREHOLDER - STAMPED STEEL



Catalog No.	UPC #	Pipe Size	Std. Pkg	Wgt/100
4200	02151	1 1/4" - 3"	20	160

OFFSET BOTTOM REDUCERS - SLIPFITTER - CAST ALUMINUM





Catalog No.	UPC #	Pipe Size	Hub Size	Std. Pkg	Wgt/100
2200X	02152	2"	1 1/4"	50	152
2700X	02153	2 1/2"	1 1/4"	25	152
2750	02154	2 1/2"	1 1/2"	25	240
3600	02155	2 1/2"	2"	25	260
3700	02156	3"	2"	10	260

WEDGE GRIP CLAMPS - ALUMINUM WITH SOLID STAINLESS STEEL BAIL





Catalog No.	UPC #	Size	Std. Pkg	Wgt/100
WC2ACSR		6 ACSR - 2 ACSR	50	
WC1/0ACSR		4 ACSR - 1/0 ACSR	25	
WC4/0ACSR		2/0 ACSR - 4/0 ACSR	25	

THREADED CONDUIT BODIES - TYPE LB UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LB-50	03701	1/2"	10	100	26
LB-75	03702	3/4"	10	50	40
LB-100	03703	1"	5	25	52
LB-125	03704	1 1/4"	2	10	110
LB-150	03705	1 1/2"	2	10	129
LB-200	03706	2"	1	5	230
LB-250		2 1/2"	-	1	440
LB-300		3"	-	1	480
LB-350		3 1/2"	-	1	900
LB-400		4"	-	1	810

THREADED CONDUIT BODIES WITH COVER AND GASKET - TYPE LB UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LB-50CG		1/2"	10	100	26
LB-75CG		3/4"	10	50	40
LB-100CG		1"	5	25	52
LB-125CG		1 1/4"	2	10	110
LB-150CG		1 1/2"	2	10	129
LB-200CG		2"	1	5	230
LBC-250		2 1/2"	-	1	440
LBC-300		3"	-	1	480
LBC-350		3 1/2"	-	1	900
LBC-400		4"	-	1	810

THREADED CONDUIT BODIES - TYPE LR UL LISTED


Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LR-50	03713	1/2"	10	100	26
LR-75	03714	3/4"	10	50	40
LR-100	03715	1"	5	25	52
LR-125	03716	1 1/4"	2	10	110
LR-150	03717	1 1/2"	2	10	129
LR-200	03718	2"	1	5	230
LR-250		2 1/2"	-	1	440
LR-300		3"	-	1	480
LR-350		3 1/2"	-	1	900
LR-400		4"	-	1	810

THREADED CONDUIT BODIES WITH COVER AND GASKET - TYPE LR UL LISTED





Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LR-50CG		1/2"	10	100	26
LR-75CG		3/4"	10	50	40
LR-100CG		1"	5	25	52
LR-125CG		1 1/4"	2	10	110
LR-150CG		1 1/2"	2	10	129
LR-200CG		2"	1	5	230
LR-250CG		2 1/2"	-	1	440
LR-300CG		3"	-	1	480
LR-350CG		3 1/2"	-	1	900
LR-400CG		4"	-	1	810


THREADED CONDUIT BODIES - TYPE LL UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LL-50	03725	1/2"	10	100	26
LL-75	03726	3/4"	10	50	40
LL-100	03727	1"	5	25	52
LL-125	03728	1 1/4"	2	10	110
LL-150	03729	1 1/2"	2	10	129
LL-200	03730	2"	1	5	230
LL-250		2 1/2"	-	1	440
LL-300		3"	-	1	480
LL-350		3 1/2"	-	1	900
LL-400		4"	-	1	810




THREADED CONDUIT BODIES WITH COVER AND GASKET - TYPE LL UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LL-50CG		1/2"	10	100	26
LL-75CG		3/4"	10	50	40
LL-100CG		1"	5	25	52
LL-125CG		1 1/4"	2	10	110
LL-150CG		1 1/2"	2	10	129
LL-200CG		2"	1	5	230
LL-250CG		2 1/2"	-	1	440
LL-300CG		3"	-	1	480
LL-350CG		3 1/2"	-	1	900
LL-400CG		4"	-	1	810




THREADED CONDUIT BODIES - TYPE C UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LC-50	03736	1/2"	10	100	26
LC-75	03737	3/4"	10	50	40
LC-100	03738	1"	5	25	52
LC-125	03739	1 1/4"	2	10	110
LC-150	03740	1 1/2"	2	10	129
LC-200	03741	2"	1	5	230
LC-250		2 1/2"	-	1	440
LC-300		3"	-	1	480
LC-350		3 1/2"	-	1	900
LC-400		4"	-	1	810





THREADED CONDUIT BODIES WITH COVER AND GASKET - TYPE C UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LC-50CG		1/2"	10	100	26
LC-75CG		3/4"	10	50	40
LC-100CG		1"	5	25	52
LC-125CG		1 1/4"	2	10	110
LC-150CG		1 1/2"	2	10	129
LC-200CG		2"	1	5	230
LC-250CG		2 1/2"	-	1	440
LC-300CG		3"	-	1	480
LC-350CG		3 1/2"	-	1	900
LC-400CG		4"	-	1	810





THREADED CONDUIT BODIES - TYPE T UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
TC-50	03746	1/2"	10	100	32
TC-75	03747	3/4"	10	50	50
TC-100	03748	1"	5	25	66
TC-125	03749	1 1/4"	2	10	179
TC-150	03750	1 1/2"	2	10	158
TC-200	03751	2"	1	5	266
TC-250		2 1/2"	-	1	440
TC-300		3"	-	1	480
TC-350		3 1/2"	-	1	900
TC-400		4"	-	1	810

THREADED CONDUIT BODIES WITH COVER AND GASKET - TYPE T UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
TC-50CG		1/2"	10	100	26
TC-75CG		3/4"	10	50	40
TC-100CG		1"	5	25	52
TC-125CG		1 1/4"	2	10	110
TC-150CG		1 1/2"	2	10	129
TC-200CG		2"	1	5	230
TC-250CG		2 1/2"	-	1	440
TC-300CG		3"	-	1	480
TC-350CG		3 1/2"	-	1	900
TC-400CG		4"	-	1	810

ALUMINUM COVERS FOR CONDUIT BODIES UL LISTED

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
CC-50	03756	1/2"	50	500	6
CC-75	03757	3/4"	50	500	9
CC-100	03758	1"	50	250	14
CC-125	03759	1 1/4" - 1 1/2"	-	50	26
CC-200	03761	2"	-	25	44
CC-250	03762	2 1/2" - 3"	-	10	91
CC-350	03763	3 1/2" - 4"	-	5	144

STEEL COVERS FOR CONDUIT BODIES UL LISTED

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
CC-50S		1/2"	50	500	8
CC-75S		3/4"	50	500	11
CC-100S		1"	50	250	16
CC-125S		1 1/4" - 1 1/2"	-	50	28
CC-200S		2"	-	25	46
CC-250S		2 1/2" - 3"	-	10	93
CC-350S		3 1/2" - 4"	-	5	149

FIBER GASKETS

Catalog No.	UPC #	Size	Ctn.	Std.	Wgt/
			Qty	Pkg	100
FG-50	03766	1/2"	10	100	0.6
FG-75	03767	3/4"	10	50	0.8
FG-100	03768	1"	5	25	1.1
FG-125	03769	1 1/4" - 1 1/2"	2	10	3
FG-200	03771	2"	2	10	4
FG-250	03772	2 1/2" - 3"	1	5	14
FG-350	03774	3 1/2" - 4"	-	1	24

NEOPRENE GASKETS

Catalog No.	UPC #	Size	Ctn.	Std.	Wgt/
			Qty	Pkg	100
NG-50		1/2"	10	100	1.5
NG-75		3/4"	10	50	2.5
NG-100		1"	5	25	4
NG-125		1 1/4" - 1 1/2"	2	10	6
NG-200		2"	2	10	10
NG-250		2 1/2" - 3"	1	5	15
NG-350		3 1/2" - 4"	-	1	20

E.M.T. CONDUIT BODIES - TYPE T UL LISTED

Catalog No.	UPC #	Size	Ctn.	Std.	Wgt/
			Qty	Pkg	100
TCSS-50	03746	1/2"	10	100	26
TCSS-75	03747	3/4"	10	50	40
TCSS-100	03748	1"	5	25	52
TCSS-125	03749	1 1/4"	2	10	110
TCSS-150	03750	1 1/2"	2	10	129
TCSS-200	03751	2"	1	5	230
TCSS-250		2 1/2"	-	1	440
TCSS-300		3"	-	1	480
TCSS-350		3 1/2"	-	1	900
TCSS-400		4"	-	1	810

E.M.T. CONDUIT BODIES WITH COVER AND GASKET - TYPE T UL LISTED

Catalog No.	UPC #	Size	Ctn.	Std.	Wgt/
			Qty	Pkg	100
TCSS-50CG		1/2"	10	100	26
TCSS-75CG		3/4"	10	50	40
TCSS-100CG		1"	5	25	52
TCSS-125CG		1 1/4"	2	10	110
TCSS-150CG		1 1/2"	2	10	129
TCSS-200CG		2"	1	5	230
TCSS-250CG		2 1/2"	-	1	440
TCSS-300CG		3"	-	1	480
TCSS-350CG		3 1/2"	-	1	900
TCSS-400CG		4"	-	1	810

E.M.T. CONDUIT BODIES - TYPE LB UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LBSS-50		1/2"	10	100	26
LBSS-75		3/4"	10	50	40
LBSS-100		1"	5	25	52
LBSS-125		1 1/4"	2	10	110
LBSS-150		1 1/2"	2	10	129
LBSS-200		2"	1	5	230
LBSS-250		2 1/2"	-	1	440
LBSS-300		3"	-	1	480
LBSS-350		3 1/2"	-	1	900
LBSS-400		4"	-	1	810

E.M.T. CONDUIT BODIES WITH COVER AND GASKET - TYPE LB UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LBSS-50CG		1/2"	10	100	26
LBSS-75CG		3/4"	10	50	40
LBSS-100CG		1"	5	25	52
LBSS-125CG		1 1/4"	2	10	110
LBSS-150CG		1 1/2"	2	10	129
LBSS-200CG		2"	1	5	230
LBSS-250CG		2 1/2"	-	1	440
LBSS-300CG		3"	-	1	480
LBSS-350CG		3 1/2"	-	1	900
LBSS-400CG		4"	-	1	810

E.M.T. CONDUIT BODIES - TYPE LR UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LRSS-50		1/2"	10	100	26
LRSS-75		3/4"	10	50	40
LRSS-100		1"	5	25	52
LRSS-125		1 1/4"	2	10	110
LRSS-150		1 1/2"	2	10	129
LRSS-200		2"	1	5	230
LRSS-250		2 1/2"	-	1	440
LRSS-300		3"	-	1	480
LRSS-350		3 1/2"	-	1	900
LRSS-400		4"	-	1	810

E.M.T. CONDUIT BODIES WITH COVER AND GASKET - TYPE LR UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LRSS-50CG		1/2"	10	100	26
LRSS-75CG		3/4"	10	50	40
LRSS-100CG		1"	5	25	52
LRSS-125CG		1 1/4"	2	10	110
LRSS-150CG		1 1/2"	2	10	129
LRSS-200CG		2"	1	5	230
LRSS-250CG		2 1/2"	-	1	440
LRSS-300CG		3"	-	1	480
LRSS-350CG		3 1/2"	-	1	900
LRSS-400CG		4"	-	1	810


E.M.T. CONDUIT BODIES - TYPE LL UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LLSS-50		1/2"	10	100	26
LLSS-75		3/4"	10	50	40
LLSS-100		1"	5	25	52
LLSS-125		1 1/4"	2	10	110
LLSS-150		1 1/2"	2	10	129
LLSS-200		2"	1	5	230
LLSS-250		2 1/2"	-	1	440
LLSS-300		3"	-	1	480
LLSS-350		3 1/2"	-	1	900
LLSS-400		4"	-	1	810




E.M.T. CONDUIT BODIES WITH COVER AND GASKET - TYPE LL UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LLSS-50CG		1/2"	10	100	26
LLSS-75CG		3/4"	10	50	40
LLSS-100CG		1"	5	25	52
LLSS-125CG		1 1/4"	2	10	110
LLSS-150CG		1 1/2"	2	10	129
LLSS-200CG		2"	1	5	230
LLSS-250CG		2 1/2"	-	1	440
LLSS-300CG		3"	-	1	480
LLSS-350CG		3 1/2"	-	1	900
LLSS-400CG		4"	-	1	810




E.M.T. CONDUIT BODIES - TYPE C UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LCSS-50		1/2"	10	100	26
LCSS-75		3/4"	10	50	40
LCSS-100		1"	5	25	52
LCSS-125		1 1/4"	2	10	110
LCSS-150		1 1/2"	2	10	129
LCSS-200		2"	1	5	230
LCSS-250		2 1/2"	-	1	440
LCSS-300		3"	-	1	480
LCSS-350		3 1/2"	-	1	900
LCSS-400		4"	-	1	810



E.M.T. CONDUIT BODIES WITH COVER AND GASKET - TYPE C UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LCSS-50CG		1/2"	10	100	26
LCSS-75CG		3/4"	10	50	40
LCSS-100CG		1"	5	25	52
LCSS-125CG		1 1/4"	2	10	110
LCSS-150CG		1 1/2"	2	10	129
LCSS-200CG		2"	1	5	230
LCSS-250CG		2 1/2"	-	1	440
LCSS-300CG		3"	-	1	480
LCSS-350CG		3 1/2"	-	1	900
LCSS-400CG		4"	-	1	810



E.M.T./RIGID CONDUIT BODIES - TYPE LB UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LB-50ER		1/2"	10	100	26
LB-75ER		3/4"	10	50	40
LB-100ER		1"	5	25	52
LB-125ER		1 1/4"	2	10	110
LB-150ER		1 1/2"	2	10	129
LB-200ER		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES WITH COVER AND GASKET - TYPE LB UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LB-50ERCG		1/2"	10	100	26
LB-75ERCG		3/4"	10	50	40
LB-100ERCG		1"	5	25	52
LB-125ERCG		1 1/4"	2	10	110
LB-150ERCG		1 1/2"	2	10	129
LB-200ERCG		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES - TYPE LR UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LR-50ER		1/2"	10	100	26
LR-75ER		3/4"	10	50	40
LR-100ER		1"	5	25	52
LR-125ER		1 1/4"	2	10	110
LR-150ER		1 1/2"	2	10	129
LR-200ER		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES WITH COVER AND GASKET - TYPE LR UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LR-50ERCG		1/2"	10	100	26
LR-75ERCG		3/4"	10	50	40
LR-100ERCG		1"	5	25	52
LR-125ERCG		1 1/4"	2	10	110
LR-150ERCG		1 1/2"	2	10	129
LR-200ERCG		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES - TYPE LL UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LL-50ER		1/2"	10	100	26
LL-75ER		3/4"	10	50	40
LL-100ER		1"	5	25	52
LL-125ER		1 1/4"	2	10	110
LL-150ER		1 1/2"	2	10	129
LL-200ER		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES WITH COVER AND GASKET - TYPE LL UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LL-50ERCG		1/2"	10	100	26
LL-75ERCG		3/4"	10	50	40
LL-100ERCG		1"	5	25	52
LL-125ERCG		1 1/4"	2	10	110
LL-150ERCG		1 1/2"	2	10	129
LL-200ERCG		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES - TYPE C UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LC-50ER		1/2"	10	100	26
LC-75ER		3/4"	10	50	40
LC-100ER		1"	5	25	52
LC-125ER		1 1/4"	2	10	110
LC-150ER		1 1/2"	2	10	129
LC-200ER		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES WITH COVER AND GASKET - TYPE C UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LC-50ERCG		1/2"	10	100	26
LC-75ERCG		3/4"	10	50	40
LC-100ERCG		1"	5	25	52
LC-125ERCG		1 1/4"	2	10	110
LC-150ERCG		1 1/2"	2	10	129
LC-200ERCG		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES - TYPE T UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
TC-50ER		1/2"	10	100	26
TC-75ER		3/4"	10	50	40
TC-100ER		1"	5	25	52
TC-125ER		1 1/4"	2	10	110
TC-150ER		1 1/2"	2	10	129
TC-200ER		2"	1	5	230

E.M.T./RIGID CONDUIT BODIES WITH COVER AND GASKET - TYPE T UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
TC-50ERCG		1/2"	10	100	26
TC-75ERCG		3/4"	10	50	40
TC-100ERCG		1"	5	25	52
TC-125ERCG		1 1/4"	2	10	110
TC-150ERCG		1 1/2"	2	10	129
TC-200ERCG		2"	1	5	230

MALLEABLE IRON THREADED CONDUIT BODIES - TYPE LB UL LISTED

CataMLog No.	UPC #	Size	Ctn.	Std.	Wgt/
			Qty	Pkg	100
MLB-50		1/2"	10	100	26
MLB-75		3/4"	10	50	40
MLB-100		1"	5	25	52
MLB-125		1 1/4"	2	10	110
MLB-150		1 1/2"	2	10	129
MLB-200		2"	1	5	230
MLB-250		2 1/2"	-	1	440
MLB-300		3"	-	1	480
MLB-350		3 1/2"	-	1	900
MLB-400		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES WITH COVER & GASKET - TYPE LB UL LISTED

CataMLog No.	UPC #	Size	Ctn.	Std.	Wgt/
			Qty	Pkg	100
MLB-50CG		1/2"	10	100	26
MLB-75CG		3/4"	10	50	40
MLB-100CG		1"	5	25	52
MLB-125CG		1 1/4"	2	10	110
MLB-150CG		1 1/2"	2	10	129
MLB-200CG		2"	1	5	230
MLB-250CG		2 1/2"	-	1	440
MLB-300CG		3"	-	1	480
MLB-350CG		3 1/2"	-	1	900
MLB-400CG		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES - TYPE LR UL LISTED

CataMLog No.	UPC #	Size	Ctn.	Std.	Wgt/
			Qty	Pkg	100
MLR-50		1/2"	10	100	26
MLR-75		3/4"	10	50	40
MLR-100		1"	5	25	52
MLR-125		1 1/4"	2	10	110
MLR-150		1 1/2"	2	10	129
MLR-200		2"	1	5	230
MLR-250		2 1/2"	-	1	440
MLR-300		3"	-	1	480
MLR-350		3 1/2"	-	1	900
MLR-400		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES WITH COVER & GASKET - TYPE LR UL LISTED

CataMLog No.	UPC #	Size	Ctn.	Std.	Wgt/
			Qty	Pkg	100
MLR-50CG		1/2"	10	100	26
MLR-75CG		3/4"	10	50	40
MLR-100CG		1"	5	25	52
MLR-125CG		1 1/4"	2	10	110
MLR-150CG		1 1/2"	2	10	129
MLR-200CG		2"	1	5	230
MLR-250CG		2 1/2"	-	1	440
MLR-300CG		3"	-	1	480
MLR-350CG		3 1/2"	-	1	900
MLR-400CG		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES - TYPE LL UL LISTED



CataMLog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MLL-50		1/2"	10	100	26
MLL-75		3/4"	10	50	40
MLL-100		1"	5	25	52
MLL-125		1 1/4"	2	10	110
MLL-150		1 1/2"	2	10	129
MLL-200		2"	1	5	230
MLL-250		2 1/2"	-	1	440
MLL-300		3"	-	1	480
MLL-350		3 1/2"	-	1	900
MLL-400		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES WITH COVER & GASKET- TYPE LL UL LISTED



CataMLog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MLL-50CG		1/2"	10	100	26
MLL-75CG		3/4"	10	50	40
MLL-100CG		1"	5	25	52
MLL-125CG		1 1/4"	2	10	110
MLL-150CG		1 1/2"	2	10	129
MLL-200CG		2"	1	5	230
MLL-250CG		2 1/2"	-	1	440
MLL-300CG		3"	-	1	480
MLL-350CG		3 1/2"	-	1	900
MLL-400CG		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES - TYPE C UL LISTED



CataMLog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MLC-50		1/2"	10	100	26
MLC-75		3/4"	10	50	40
MLC-100		1"	5	25	52
MLC-125		1 1/4"	2	10	110
MLC-150		1 1/2"	2	10	129
MLC-200		2"	1	5	230
MLC-250		2 1/2"	-	1	440
MLC-300		3"	-	1	480
MLC-350		3 1/2"	-	1	900
MLC-400		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES WITH COVER & GASKET- TYPE C UL LISTED



CataMLog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MLC-50CG		1/2"	10	100	26
MLC-75CG		3/4"	10	50	40
MLC-100CG		1"	5	25	52
MLC-125CG		1 1/4"	2	10	110
MLC-150CG		1 1/2"	2	10	129
MLC-200CG		2"	1	5	230
MLC-250CG		2 1/2"	-	1	440
MLC-300CG		3"	-	1	480
MLC-350CG		3 1/2"	-	1	900
MLC-400CG		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES - TYPE T UL LISTED




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MTC-50		1/2"	10	100	32
MTC-75		3/4"	10	50	50
MTC-100		1"	5	25	66
MTC-125		1 1/4"	2	10	179
MTC-150		1 1/2"	2	10	158
MTC-200		2"	1	5	266
MTC-250		2 1/2"	-	1	440
MTC-300		3"	-	1	480
MTC-350		3 1/2"	-	1	900
MTC-400		4"	-	1	810

MALLEABLE IRON THREADED CONDUIT BODIES WITH COVER & GASKET- TYPE T UL LISTED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MTC-50CG		1/2"	10	100	26
MTC-75CG		3/4"	10	50	40
MTC-100CG		1"	5	25	52
MTC-125CG		1 1/4"	2	10	110
MTC-150CG		1 1/2"	2	10	129
MTC-200CG		2"	1	5	230
MTC-250CG		2 1/2"	-	1	440
MTC-300CG		3"	-	1	480
MTC-350CG		3 1/2"	-	1	900
MTC-400CG		4"	-	1	810


ALUMINUM CONDUIT ENTRANCE ELLS



UL

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
270	03050	1/2"	10	100	25
271	03051	3/4"	10	50	31
272	03052	1"	5	25	52
273	03053	1 1/4"	2	10	84
274	03054	1 1/2"	1	5	118
275	03055	2"	1	5	192


90° PULL ELLS - RIGID CONDUIT TO BOX "G" Suffix indicates Gasket Installed



UL

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
170	03065	1/2"	10	100	31
190	03069	3/4"	5	50	37
1901		1"	5	50	42
1902		1 1/4"	5	50	45
170G	03067	1/2"	10	100	31
190G	03071	3/4"	5	50	37
1901G		1"	5	50	42
1902G		1 1/4"	5	50	45


90° PULL ELLS - RIGID CONDUIT TO RIGID CONDUIT "G" Suffix indicates Gasket Installed



UL

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
171	03066	1/2"	10	100	31
191	03070	3/4"	5	50	37
196		1"	5	50	42
1961		1 1/4"	5	50	45
171G	03068	1/2"	10	100	31
191G	03072	3/4"	5	50	37
196G		1"	5	50	42
1961G		1 1/4"	5	50	45


90° PULL ELLS -COMBO STYLE RIGID CONDUIT TO RIGID CONDUIT with Gasket



UL

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
171GC	03068	1/2"	10	100	31
191GC	03072	3/4"	5	50	37

OFFSET NIPPLES - THREADED FOR RIGID CONDUIT



UL

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
600	03660	1/2"	10	100	12
601	03661	3/4"	10	100	16
602	03662	1"	10	100	22
603	03663	1 1/4"	5	50	34
604	03664	1 1/2"	5	50	46
605	30665	2"	2	20	66
606		2 1/2"	1	5	72
607		3"	1	5	83

UNIVERSAL BEAM CLAMP - STAMPED STEEL (Plated)



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
815	03525	1/2" (1/4" Tap)	50	500	14

MALLEABLE IRON BEAM CLAMP - (Plated)



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
BC25		1/4" - 20	25	250	22
BC38-1		3/8" - 16 with 13/16" Jaw Opening	-	25	46
BC38		3/8" - 16	-	25	160
BC50		1/2" - 13	-	25	160

KNOCKOUT SEALS



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
KO-90	03330	1/2"	100	1000	1.4
KO-91	03331	3/4"	100	1000	1.7
KO-92	03332	1"	50	500	2.5
KO-93	03333	1 1/4"	50	500	3.5
KO-94	03334	1 1/2"	50	500	4.4
KO-95	03335	2"	50	500	6.1

THREE-PIECE COUPLINGS - RIGID CONDUIT MALLEABLE IRON




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MK-1	03600	1/2"	40	400	20
MK-2	03601	3/4"	20	200	30
MK-3	03602	1"	10	100	46
MK-4		1 1/4"	10	100	110
MK-5		1 1/2"	5	500	147
MK-6		2"	5	500	147
MK-7		2 1/2"	-	1	370
MK-8		3"	-	1	400
MK-9		3 1/2"	-	1	580
MK-10		4"	-	1	900
MK-11		5"	-	1	1200
MK-12		6"	-	1	2100

STEEL CONDUIT HANGERS PLATED WITH BOLTS





Catalog No.	UPC #	Size		Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
		H.W.	E.M.T.				
800B	03511	1/2"	1/2"	0B	100	1000	7.1
801B	03512	3/4"	3/4"	1B	50	500	8
802B	03513	1"	1"	2B	25	250	10
803B	03514	-	1 1/4"	2 1/2B	25	250	11
804B	03515	1 1/4"	-	3B	25	250	12
805B	03516	1 1/2"	1 1/2"	4B	25	125	18
806B	03517	2"	2"	5B	-	100	22
807B	03518	2 1/2"	2 1/2"	6B	-	25	26
808B	03519	3"	3"	7B	-	25	34
809B	03520	3 1/2"	3 1/2"	8B	-	25	42
810B	03521	4"	4"	9B	-	25	90

STEEL CONDUIT HANGERS PLATED WITH FORMED THREADS AND SCREW





Catalog No.	UPC #	Size		Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
		H.W.	E.M.T.				
800TWS		1/2"	1/2"	0B	100	1000	7.1
801TWS		3/4"	3/4"	1B	50	500	8
802TWS		1"	1"	2B	25	250	10
803TWS		-	1 1/4"	2 1/2B	25	250	11
804TWS		1 1/4"	-	3B	25	250	12
805TWS		1 1/2"	1 1/2"	4B	25	125	18
806TWS		2"	2"	5B	-	100	22

INSULATED BUSHINGS - PLASTIC FOR RIGID CONDUIT



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
988		1/2"	200	2000	0.75
989		3/4"	100	1000	1
990		1"	50	500	1.5
991		1 1/4"	50	500	2
992		1 1/2"	50	500	3
993		2"	50	250	4
994		2 1/2"	-	50	7
995		3"	-	25	10
996		3 1/2"	-	25	12
997		4 "	-	25	15
998		5"	-	25	28
999		6"	-	25	34

DIE CAST INSULATED CONDUIT BUSHING


Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
988DCI		1/2"	100	1000	3
989DCI		3/4"	100	1000	4
990DCI		1"	50	500	6
991DCI		1 1/4"	50	500	10
992DCI		1 1/2"	50	500	15
993DCI		2"	50	250	17
994DCI		2 1/2"	-	50	36
995DCI		3"	-	25	50
996DCI		3 1/2"	-	25	60
997DCI		4"	-	25	70

MALLEABLE IRON INSULATED BUSHINGS - FOR RIGID CONDUIT





Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
988MI		1/2"	100	100	5
989MI		3/4"	50	500	6
990MI		1"	50	500	8
991MI		1 1/4"	25	250	12
992MI		1 1/2"	-	25	88
993MI		2"	-	25	100
994MI		2 1/2"	-	10	130
995MI		3"	-	10	140
996MI		3 1/2"	-	10	145
997MI		4 "	-	10	200
998MI		5"	-	10	250
999MI		6"	-	10	350


WATERTIGHT HUBS FOR RIGID CONDUIT WITH INSULATED THROAT - ZINC DIE CAST




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
ST-050DC	03450	1/2"	25	250	19
ST-075DC	03451	3/4"	25	250	27
ST-100DC	03452	1"	10	100	40
ST-125DC	03453	1 1/4"	10	100	50
ST-150DC	03454	1 1/2"	10	100	65
ST-200DC	03455	2"	5	25	85
ST-250DC	03456	2 1/2"	-	5	150
ST-300DC	03457	3"	-	10	200
ST-350DC	03458	3 1/2"	-	5	400
ST-400DC	03459	4"	-	5	500




WATERTIGHT HUBS GROUNDING HUBS WITH INSULATED THROAT - ZINC DIE CAST




Catalog No.	UPC #	Size	Min Wire Size	Max Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
ST-050DCG		1/2"	#14 str.	#10 str.	25	250	19
ST-075DCG		3/4"	#14 str.	#10 str.	25	250	27
ST-100DCG		1"	#14 str.	#10 str.	10	100	40
ST-125DCG		1 1/4"	#10 sol.	#6 str.	10	100	50
ST-150DCG		1 1/2"	#10 sol.	#6 str.	10	100	65
ST-200DCG		2"	#10 sol.	#6 str.	5	25	85
ST-250DCG		2 1/2"	#10 sol.	#6 str.	-	5	150
ST-300DCG		3"	#10 sol.	#6 str.	-	10	200
ST-350DCG		3 1/2"	#10 sol.	#6 str.	-	5	400
ST-400DCG		4"	#10 sol.	#6 str.	-	5	500




CONDUIT NIPPLES - ZINC DIE CAST




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
1551	03351	1/2"	100	1000	4
1552	03352	3/4"	50	500	6
1553	03353	1"	25	250	10
1554	03354	1 1/4"	25	360	14
1555	03355	1 1/2"	25	250	20
1556	03356	2"	10	100	32
1557	03357	2 1/2"	10	50	43
1558	03358	3"	10	50	55
1559	03359	3 1/2"	10	50	68
1560	03360	4"	5	25	70




CONDUIT NIPPLES - MALLEABLE IRON



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
1551M		1/2"	100	1000	5
1552M		3/4"	50	500	7
1553M		1"	25	250	12
1554M		1 1/4"	25	250	15
1555M		1 1/2"	25	250	22
1556M		2"	10	50	35
1557M		2 1/2"	10	50	76
1558M		3"	10	50	101
1559M		3 1/2"	10	50	124
1560M		4"	5	25	500
1561M		5"	-	1	750
1562M		6"	-	1	650



THREADED INSULATED METAL GROUNDING BUSHING WITH BOX LUG



Catalog No.	UPC #	Size	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
GBB-500		1/2"	# 14	# 4	100	500	5
GBB-510		3/4"	# 14	# 4	100	500	7
GBB-520		1"	# 14	# 4	50	500	8
GBB-530		1 1/4"	# 14	# 4	50	250	12
GBB-540		1 1/2"	# 14	# 2	25	250	13
GBB-550		2"	# 14	# 2	25	125	21
GBB-560		2 1/2"	# 14	# 1/0	-	25	48
GBB-560SP		2 1/2"	# 6	# 250	-	25	48
GBB-570		3"	# 14	# 1/0	-	25	57
GBB-570SP		3"	# 6	# 250	-	25	57
GBB-580		3 1/2"	# 14	# 2/0	-	25	66
GBB-580SP		3 1/2"	# 6	# 250	-	25	66
GBB-590		4"	# 14	# 2/0	-	10	72
GBB-590SP		4"	# 6	# 250	-	10	72

THREADED INSULATED METAL GROUNDING BUSHING WITH LAY-IN LUG



Catalog No.	UPC #	Size	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
GB-500	06150	1/2"	# 14	# 4	100	500	5
GB-510	06151	3/4"	# 14	# 4	100	500	7
GB-520	06152	1"	# 14	# 4	50	500	8
GB-530	06153	1 1/4"	# 14	# 4	50	250	12
GB-540	06154	1 1/2"	# 14	# 2	25	250	13
GB-550	06155	2"	# 14	# 2	25	125	21
GB-560	06156	2 1/2"	# 14	# 1/0	-	25	48
GB-560SP		2 1/2"	# 6	# 250	-	25	48
GB-570	06157	3"	# 14	# 1/0	-	25	57
GB-570SP		3"	# 6	# 250	-	25	57
GB-580	06158	3 1/2"	# 14	# 2/0	-	25	66
GB-580SP		3 1/2"	# 6	# 250	-	25	66
GB-590	06159	4"	# 14	# 2/0	-	25	72
GB-590SP		4"	# 6	# 250	-	25	72

STEEL CONDUIT LOCKNUTS



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
LN-4	03201	1/2"	100	1000	2
LN-5	03202	3/4"	100	1000	2
LN-6	03203	1"	100	1000	3
LN-7	03204	1 1/4"	100	1000	4
LN-8	03205	1 1/2"	100	1000	5
LN-9	03206	2"	50	500	7
LN-10	03207	2 1/2"	50	500	12
LN-11	03208	3"	25	125	18
LN-12	03209	3 1/2"	25	125	22
LN-13	03210	4"	25	125	26

STEEL GROUNDING CONDUIT LOCKNUTS



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
GLN-4		1/2"	100	1000	2
GLN-5		3/4"	100	1000	2
GLN-6		1"	50	500	3
GLN-7		1 1/4"	50	500	4
GLN-8		1 1/2"	25	250	5
GLN-9		2"	25	250	7
GLN-10		2 1/2"	-	50	12
GLN-11		3"	-	25	18
GLN-12		3 1/2"	-	25	22
GLN-13		4"	-	25	26

STEEL SEALING CONDUIT LOCKNUTS



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
SLN-4		1/2"	100	1000	2
SLN-5		3/4"	100	1000	2
SLN-6		1"	50	500	3
SLN-7		1 1/4"	50	500	4
SLN-8		1 1/2"	25	250	5
SLN-9		2"	25	250	7
SLN-10		2 1/2"	-	50	12
SLN-11		3"	-	25	18
SLN-12		3 1/2"	-	25	22
SLN-13		4"	-	25	26

ONE HOLE RIGID PIPE STRAP - STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
PS-1	03400	1/4"	100	1000	2
PS-3/8	03401	3/8"	100	1000	2.5
PS-2	03402	1/2"	100	1000	6
PS-3	03403	3/4"	100	1000	8
PS-4	03404	1"	50	500	11
PS-5	03405	1 1/4"	50	500	18
PS-6	03406	1 1/2"	50	250	20
PS-7	03407	2"	25	125	35
PS-8	03408	2 1/2"	-	25	51
PS-9	03409	3"	-	25	66
PS-10	03410	3 1/2"	-	25	92
PS-11	03411	4"	-	25	104

ONE HOLE RIGID PIPE STRAP - MALLEABLE IRON



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
PS-3/8M		3/8"	100	1000	4
PS-2M		1/2"	100	1000	4
PS-3M		3/4"	50	500	6
PS-4M		1"	25	250	8
PS-5M		1 1/4"	20	200	10
PS-6M		1 1/2"	10	100	16
PS-7M		2"	-	25	36
PS-8M		2 1/2"	-	25	68
PS-9M		3"	-	25	100
PS-10M		3 1/2"	-	25	150
PS-11M		4"	-	25	220

TWO HOLE RIGID PIPE STRAP - STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
THR-3/8	04240	3/8"	100	1000	1.45
THR-50	04241	1/2"	50	500	2
THR-75	04242	3/4"	50	500	2.6
THR-100	04243	1"	50	500	4.6
THR-125	04244	1 1/4"	25	250	6.7
THR-150	04245	1 1/2"	25	250	12
THR-200	04246	2"	25	250	15
THR-250	04247	2 1/2"	-	25	16.5
THR-300	04248	3"	-	10	22.8
THR-350	04249	3 1/2"	-	10	26
THR-400	04250	4"	-	10	32.6

CLAMP BACKS - MALLEABLE IRON



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ Pkg
CB-050		1/2"	25	250	16
CB-075		3/4"	25	250	22
CB-100		1"	25	250	35
CB-125		1 1/4"	10	100	21
CB-150		1 1/2"	10	100	27
CB-200		2"	5	50	22
CB-250		2 1/2"	-	25	14
CB-300		3"	-	10	9
CB-350		3 1/2"	-	10	14
CB-400		4"	-	10	18

FLOOR FLANGE PLATES - MALLEABLE IRON



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
FF-050		1/2"	25	250	46
FF-075		3/4"	25	250	50
FF-100		1"	25	250	86
FF-125		1 1/4"	10	100	60
FF-150		1 1/2"	10	100	120
FF-200		2"	5	50	135

REDUCING WASHERS - STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
RW-110	03150	3/4" - 1/2"	100	1000	1
RW-120	03151	1" - 1/2"	50	500	1.5
RW-121	03152	1" - 3/4"	50	500	1.5
RW-130	03153	1 1/4" - 1/2"	25	250	3
RW-131	03154	1 1/4" - 3/4"	25	250	2.6
RW-132	03155	1 1/4" - 1"	25	250	1.9
RW-140	03156	1 1/2" - 1/2"	25	250	5.5
RW-141	03157	1 1/2" - 3/4"	25	250	5.2
RW-142	03158	1 1/2" - 1"	25	250	4.4
RW-143	03159	1 1/2" - 1 1/4"	25	250	4.4
RW-150	03160	2" - 1/2"	10	50	11.5
RW-151	03161	2" - 3/4"	10	50	10.5
RW-152	03162	2" - 1"	10	50	10.1
RW-153	03163	2" - 1 1/4"	10	50	5.9
RW-154	03164	2" - 1 1/2"	10	50	5.4
RW-160	03165	2 1/2" - 1/2"	5	25	8.3
RW-161	03166	2 1/2" - 3/4"	5	25	7.8
RW-162	03167	2 1/2" - 1"	5	25	7.4
RW-163	03168	2 1/2" - 1 1/4"	5	25	7.3
RW-164	03169	2 1/2" - 1 1/2"	5	25	6
RW-165	03170	2 1/2" - 2"	5	25	6
RW-170	03171	3" - 1/2"	-	10	24
RW-171	03172	3" - 3/4"	-	10	24
RW-172	03173	3" - 1"	-	10	21
RW-173	03174	3" - 1 1/4"	-	10	19
RW-174	03175	3" - 1 1/2"	-	10	18
RW-175	03176	3" - 2"	-	10	16
RW-176	03177	3" - 2 1/2"	-	10	15
RW-177		3 1/2" - 1/2"	-	5	17
RW-178	03128	3 1/2" - 3/4"	-	5	17
RW-179	03129	3 1/2" - 1"	-	5	17
RW-180	03130	3 1/2" - 1 1/4"	-	5	17
RW-181		3 1/2" - 1 1/2"	-	5	17
RW-182		3 1/2" - 2"	-	5	17
RW-183	03131	3 1/2" - 2 1/2"	-	5	17
RW-184		3 1/2" - 3"	-	5	17
RW-185		4" - 1/2"	-	5	19
RW-186		4" - 3/4"	-	5	19
RW-187		4" - 1"	-	5	19
RW-188		4" - 1 1/4"	-	5	19
RW-189		4" - 1 1/2"	-	5	19
RW-190		4" - 2"	-	5	19
RW-191		4" - 2 1/2"	-	5	19
RW-192		4" - 3"	-	5	19
RW-193	03132	4" - 3 1/2"	-	5	19

STEEL CONDUIT REDUCING BUSHINGS

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
RB-10	03100	3/4" - 1/2"	100	1000	4
RB-20	03101	1" - 1/2"	50	500	13
RB-21	03102	1" - 3/4"	50	500	8
RB-30	03103	1 1/4" - 1/2"	25	250	26
RB-31	03104	1 1/4" - 3/4"	25	250	22
RB-32	03105	1 1/4" - 1"	25	250	14
RB-40	03106	1 1/2" - 1/2"	25	250	36
RB-41	03107	1 1/2" - 3/4"	25	250	32
RB-42	03108	1 1/2" - 1"	25	250	27
RB-43	03109	1 1/2" - 1 1/4"	25	250	11
RB-50	03110	2" - 1/2"	10	50	62
RB-51	03111	2" - 3/4"	10	50	66
RB-52	03112	2" - 1"	10	50	56
RB-53	03113	2" - 1 1/4"	10	50	44
RB-54	03114	2" - 1 1/2"	10	50	30
RB-60	03115	2 1/2" - 1/2"	5	25	128
RB-61	03116	2 1/2" - 3/4"	5	25	126
RB-62	03117	2 1/2" - 1"	5	25	126
RB-63	03118	2 1/2" - 1 1/4"	5	25	161
RB-64	03119	2 1/2" - 1 1/2"	5	25	145
RB-65	03120	2 1/2" - 2"	5	25	52
RB-70	03121	3" - 1/2"	-	10	202
RB-71	03122	3" - 3/4"	-	10	196
RB-72	03123	3" - 1"	-	10	190
RB-73	03124	3" - 1 1/4"	-	10	166
RB-74	03125	3" - 1 1/2"	-	10	172
RB-75	03126	3" - 2"	-	10	170
RB-76	03127	3" - 2 1/2"	-	10	169
RB-84		3 1/2" - 1 1/2"	-	5	200
RB-85	03128	3 1/2" - 2"	-	5	200
RB-86	03129	3 1/2" - 2 1/2"	-	5	190
RB-87	03130	3 1/2" - 3"	-	5	180
RB-95		4" - 2"	-	5	360
RB-96		4" - 2 1/2"	-	5	360
RB-97	03131	4" - 3"	-	5	360
RB-98	03132	4" - 3 1/2"	-	5	360



E.M.T. COMPRESSION CONNECTOR - ZINC DIE CAST

For UL Listed
"Raintight" use an
"RT" suffix. Available
in Steel & Die Cast



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
700	04000	1/2"	50	500	10
701	04001	3/4"	25	250	14
702	04002	1"	50	250	20
703	04003	1 1/4"	10	100	37
704	04004	1 1/2"	10	100	55
705	04005	2"	5	50	81
726	04006	2 1/2"	-	25	107
727	04007	3"	-	10	137
727A	04008	3 1/2"	-	10	176
728	04009	4"	-	10	206

E.M.T. COMPRESSION CONNECTOR -STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
700S	00091	1/2"	50	500	10
701S	00093	3/4"	25	250	14
702S	00095	1"	50	250	20
703S	00097	1 1/4"	10	50	37
704S	00100	1 1/2"	10	50	55
705S	00103	2"	5	25	81
726S	00132	2 1/2"	-	12	107
727S	00136	3"	-	12	137
727AS	00134	3 1/2"	-	10	176
728S	00138	4"	-	6	206

E.M.T. COMPRESSION COUPLINGS - ZINC DIE CAST

For UL Listed
"Raintight" use an
"RT" suffix. Available
in Steel & Die Cast



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
706	04020	1/2"	25	250	12
707	04021	3/4"	25	250	19
708	04022	1"	25	250	28
709	04023	1 1/4"	10	100	44
710	04024	1 1/2"	10	100	64
711	04025	2"	5	50	93
753	04026	2 1/2"	-	25	135
754	04027	3"	-	10	178
754A	04028	3 1/2"	-	10	217
755	04029	4"	-	10	255

E.M.T. COMPRESSION COUPLING -STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
706S	00106	1/2"	50	500	12
707S	00107	3/4"	25	250	19
708S	00109	1"	50	250	28
709S	00110	1 1/4"	10	50	44
710S	00111	1 1/2"	10	50	64
711S	00112	2"	5	25	93
753S	00145	2 1/2"	-	12	135
754S	00147	3"	-	12	178
754AS	00146	3 1/2"	-	10	217
755S	00148	4"	-	6	255

E.M.T. SET SCREW CONNECTOR - ZINC DIE CAST



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
712	04050	1/2"	25	250	7
713	04051	3/4"	25	250	10
714	04052	1"	25	250	15
715	04053	1 1/4"	10	100	29
716	04054	1 1/2"	10	100	40
717	04055	2"	5	50	54
775	04056	2 1/2"	-	25	83
776	04057	3"	-	10	100
776A	04058	3 1/2"	-	10	128
777	04059	4"	-	10	156

E.M.T. SET SCREW CONNECTOR -STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
712S	00113	1/2"	50	500	7
713S	00115	3/4"	25	250	10
714S	00117	1"	50	250	15
715S	00119	1 1/4"	10	50	29
716S	00121	1 1/2"	10	50	40
717S	00123	2"	5	25	54
775S	00150	2 1/2"	-	12	83
776S	00154	3"	-	12	100
776AS	00152	3 1/2"	-	10	128
777S	00156	4"	-	6	156

E.M.T. SET SCREW COUPLING - ZINC DIE CAST



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
718	04070	1/2"	25	250	7
719	04071	3/4"	25	250	10
720	04072	1"	25	250	14
721	04073	1 1/4"	10	100	29
722	04074	1 1/2"	10	100	38
723	04075	2"	5	50	57
778	04076	2 1/2"	-	25	76
779	04077	3"	-	10	103
779A	04078	3 1/2"	-	10	123
780	04079	4"	-	10	161

E.M.T. SET SCREW COUPLING -STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
718S	00125	1/2"	50	500	7
719S	00126	3/4"	25	250	10
720S	00127	1"	50	250	14
721S	00128	1 1/4"	10	50	29
722S	00129	1 1/2"	10	50	38
723S	00130	2"	5	25	57
778S	00158	2 1/2"	-	12	76
779S	00160	3"	-	12	103
779AS	00159	3 1/2"	-	10	123
780S	00161	4"	-	6	161

INSULATED THROAT E.M.T. COMPRESSION CONNECTOR -ZINC DIE CAST



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
730	04010	1/2"	50	500	10
731	04011	3/4"	25	250	14
732	04012	1"	50	250	20
733	04013	1 1/4"	10	50	37
734	04014	1 1/2"	10	50	55
735	04015	2"	5	25	81
736	04016	2 1/2"	-	12	107
737	04017	3"	-	12	137
737A	04018	3 1/2"	-	10	176
738	04019	4"	-	6	206

INSULATED THROAT E.M.T. COMPRESSION CONNECTOR -STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
730S		1/2"	50	500	10
731S		3/4"	25	250	14
732S		1"	50	250	20
733S		1 1/4"	10	50	37
734S		1 1/2"	10	50	55
735S		2"	5	25	81
736S		2 1/2"	-	12	107
737S		3"	-	12	137
737AS		3 1/2"	-	10	176
738S		4"	-	6	206

INSULATED THROAT E.M.T. SET SCREW CONNECTOR - ZINC DIE CAST



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
742	04060	1/2"	50	500	7
743	04061	3/4"	25	250	10
744	04062	1"	50	250	15
745	04063	1 1/4"	10	50	29
746	04064	1 1/2"	10	50	40
747	04065	2"	5	25	54
748	04066	2 1/2"	-	12	83
749	04067	3"	-	12	100
749A	04068	3 1/2"	-	10	128
749A	04069	4"	-	6	156

INSULATED THROAT E.M.T. SET SCREW CONNECTOR -STEEL



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
712SI		1/2"	50	500	7
713SI		3/4"	25	250	10
714SI		1"	50	250	15
715SI		1 1/4"	10	50	29
716SI		1 1/2"	10	50	40
717SI		2"	5	25	54
775SI		2 1/2"	-	12	83
776SI		3"	-	12	100
776ASI		3 1/2"	-	10	128
777SI		4"	-	6	156

90° PULL ELLS - E.M.T. TO BOX

"G" Suffix indicates Gasket Installed



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
172	04100	1/2"	10	100	22
192	04104	3/4"	5	50	35
1721		1"	5	50	42
1921		1 1/4"	5	50	45
172G		1/2"	10	100	22
192G		3/4"	5	50	35
1721G		1"	5	50	42
1921G		1 1/4"	5	50	45

90° PULL ELLS - E.M.T. TO E.M.T.

"G" Suffix indicates Gasket Installed



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
173	04101	1/2"	10	100	22
193	04105	3/4"	5	50	35
1931		1"	5	50	42
1932		1 1/4"	5	50	45
173G	04103	1/2"	10	100	22
193G	04107	3/4"	5	50	35
1931G		1"	5	50	42
1932G		1 1/4"	5	50	45

90° PULL ELLS -COMBO STYLE RIGID CONDUIT TO RIGID CONDUIT with Gasket



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
171GC	03068	1/2"	10	100	22
191GC	03072	3/4"	5	50	35

E.M.T. TO FLEXIBLE STEEL CONDUIT - ZINC DIE CAST



760 Style



761-763 Style

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
760	04190	1/2"-3/8" F.S.C	50	500	8
761	04048	1/2"-1/2" F.S.C	25	250	10
762	04047	3/4"-3/4" F.S.C	25	250	12
763	04049	1"-1" F.S.C	25	250	15

INSIDE CORNER ELBOWS - ZINC DIE CAST



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
195		1/2"	10	100	20
1951		3/4"	5	50	26

E.M.T. (SET SCREW) OFFSET CONNECTOR - ZINC DIE CAST



Catalog No.	UPC #	Size	Qty	Pkg	100
620	04610	1/2"	10	100	12
621	04611	3/4"	10	100	19
622	04612	1"	10	100	25

E.M.T. ONE HOLE CONDUIT STRAPS - STAMPED STEEL - PLATED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
S-50	04150	1/2"	100	1000	3
S-75	04151	3/4"	100	1000	5
S-100	04152	1"	100	500	6
S-125	04153	1 1/4"	50	250	10
S-150	04154	1 1/2"	50	250	20
S-200	04155	2"	25	125	25

E.M.T. TWO HOLE CONDUIT STRAPS - STAMPED STEEL - PLATED





Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
THS-50	04140	1/2"	100	1000	1
THS-75	04141	3/4"	100	1000	2
THS-100	04142	1"	50	500	2
THS-125	04143	1 1/4"	50	500	5
THS-150	04144	1 1/2"	50	500	7
THS-200	04145	2"	50	250	13

E.M.T. NAIL STRAP - STEEL





Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
NS-050		1/2"	100	1000	12
NS-075		3/4"	100	1000	19
NS-100		1"	100	1000	25

LIQUID TIGHT CONNECTORS - STRAIGHT CONNECTOR NON-INSULATED



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
5500A	05500	3/8"	25	250	20
5501A	05501	1/2"	25	250	17
5502A	05502	3/4"	10	100	25
5503A	05503	1"	5	50	44
5504A	05504	1 1/4"	4	40	67
5505A	05505	1 1/2"	2	20	92
5506A	05506	2"	2	20	140
5507A	05507	2 1/2"	-	1	221
5508A	05508	3"	-	1	284
5509A	05509	3 1/2"	-	1	360
5510A	05510	4"	-	1	411

LIQUID TIGHT CONNECTORS - STRAIGHT WITH INSULATED THROAT



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
5513A	05513	3/8"	25	250	20
5514A	05514	1/2"	25	250	17
5515A	05515	3/4"	10	100	25
5516A	05516	1"	5	50	44
5517A	05517	1 1/4"	4	40	67
5518A	05518	1 1/2"	2	20	92
5519A	05519	2"	2	20	140
5520A	05520	2 1/2"	-	1	221
5521A	05521	3"	-	1	284
5522A	05522	3 1/2"	-	1	360
5523A	05523	4"	-	1	411

90° ANGLE LIQUID TIGHT CONNECTOR - NON-INSULATED THROAT

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
5553A	05553	3/8"	25	250	30
5554A	05554	1/2"	25	250	27
5555A	05555	3/4"	10	100	39
5556A	05556	1"	5	50	66
5557A	05557	1 1/4"	4	40	105
5558A	05558	1 1/2"	2	20	129
5559A	05559	2"	2	20	198
5560A	05560	2 1/2"	-	1	363
5561A	05561	3"	-	1	483
5562A	05562	3 1/2"	-	1	592
5563A	05563	4"	-	1	723

90° ANGLE LIQUID TIGHT CONNECTOR - WITH INSULATED THROAT

Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
5566A	05566	3/8"	25	250	30
5567A	05567	1/2"	25	250	27
5568A	05568	3/4"	10	100	39
5569A	05569	1"	5	50	66
5570A	05570	1 1/4"	4	40	105
5571A	05571	1 1/2"	2	20	129
5572A	05572	2"	2	20	198
5573A	05573	2 1/2"	-	1	363
5574A	05574	3"	-	1	483
5575A	05575	3 1/2"	-	1	592
5576A	05576	4"	-	1	723

LIQUID TIGHT CONNECTORS - STRAIGHT WITH INSULATED THROAT - MALLEABLE IRON



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MI5513A		3/8"	25	250	31
MI5514A		1/2"	25	250	30
MI5515A		3/4"	10	100	41
MI5516A		1"	5	50	68
MI5517A		1 1/4"	4	40	110
MI5518A		1 1/2"	2	20	133
MI5519A		2"	2	20	201
MI5520A		2 1/2"	-	1	350
MI5521A		3"	-	1	498
MI5522A		3 1/2"	-	1	601
MI5523A		4"	-	1	741

90° ANGLE LIQUID TIGHT CONNECTOR - INSULATED THROAT - MALLEABLE IRON




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MI5566A		3/8"	25	250	31
MI5567A		1/2"	25	250	30
MI5568A		3/4"	10	100	41
MI5569A		1"	5	50	68
MI5570A		1 1/4"	4	40	110
MI5571A		1 1/2"	2	20	133
MI5572A		2"	2	20	201
MI5573A		2 1/2"	-	1	350
MI5574A		3"	-	1	498
MI5575A		3 1/2"	-	1	601
MI5576A		4"	-	1	741

45° ANGLE LIQUID TIGHT CONNECTOR - WITH INSULATED THROAT - MALLEABLE IRON




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MI4566A		3/8"	25	250	31
MI4567A		1/2"	25	250	30
MI4568A		3/4"	10	100	41
MI4569A		1"	5	50	68
MI4570A		1 1/4"	4	40	110
MI4571A		1 1/2"	2	20	133
MI4572A		2"	2	20	201
MI4573A		2 1/2"	-	1	350
MI4574A		3"	-	1	498
MI4575A		3 1/2"	-	1	601
MI4576A		4"	-	1	741

NON-METALLIC LIQUID TIGHT CONNECTORS - STRAIGHT CONNECTOR




Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
NM5500A		3/8"	25	250	20
NM5501A		1/2"	25	250	17
NM5502A		3/4"	10	100	25
NM5503A		1"	5	50	44
NM5504A		1 1/4"	4	40	67
NM5505A		1 1/2"	2	20	92
NM5506A		2"	2	20	140

NON-METALLIC 90° ANGLE LIQUID TIGHT CONNECTOR



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
NM5553A		3/8"	25	250	20
NM5554A		1/2"	25	250	17
NM5555A		3/4"	10	100	25
NM5556A		1"	5	50	44
NM5557A		1 1/4"	4	40	67
NM5558A		1 1/2"	2	20	92
NM5559A		2"	2	20	140

NON-METALLIC 45° ANGLE LIQUID TIGHT CONNECTOR



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
NM4500A		3/8"	25	250	20
NM4501A		1/2"	25	250	17
NM4502A		3/4"	10	100	25
NM4503A		1"	5	50	44
NM4504A		1 1/4"	4	40	67
NM4505A		1 1/2"	2	20	92
NM4506A		2"	2	20	140

INTERSYSTEM BONDING BRIDGE - Available in Zinc & Bronze




IBB-5




IBBCU-5

Catalog No.	UPC #	Conductor Range	Ctn. Qty	Std. Pkg	Wgt/ 100
IBB-5		6-2AWG Grounding Electrode	14	1	10
IBBCU-5		4AWG Bonding Conductor (4)		1	10


GROUND CLAMPS - COPPER ALLOY - FOR BARE WIRE

			Min. Wire	Max.	Ctn.	Std.	Wgt/	
	Catalog No.	UPC #	Size	Size	Wire Size	Qty	Pkg	100
UL	21B	06010	1/2" - 1"	10 sol.	2 str.	25	250	19
	850B	06022	1 1/4" - 2"	10 sol.	2 str.	10	100	50
	853B	06024	2 1/2" - 4"	10 sol.	2 str.	-	10	100
	857B		4 1/2" - 6"	10 sol.	2 str.	-	10	150

GROUND CLAMPS - COPPER ALLOY WITH BRONZE SCREWS FOR DIRECT BURIAL


			Min. Wire	Max.	Ctn.	Std.	Wgt/	
	Catalog No.	UPC #	Size	Size	Wire Size	Qty	Pkg	100
UL	21DB		1/2" - 1"	10 sol.	2 str.	25	250	19
	850DB		1 1/4" - 2"	10 sol.	2 str.	10	100	50
	853DB		2 1/2" - 4"	10 sol.	2 str.	-	12	100

GROUND CLAMPS - ZINC DIE CAST - FOR BARE WIRE


			Min. Wire	Max.	Ctn.	Std.	Wgt/	
	Catalog No.	UPC #	Size	Size	Wire Size	Qty	Pkg	100
UL	21*	06008	1/2" - 1"	8 sol.	2 str.	25	250	19
	21M	06011	1/2" - 1"	8 sol.	2 str.	10	100	50

* Brass Colored Zinc Plated UL/CSA not applicable


GROUND CLAMPS - COPPER ALLOY - FOR RIGID CONDUIT WITH 1/2" HUB

			Min. Wire	Max.	Ctn.	Std.	Wgt/	
	Catalog No.	UPC #	Size	Size	Wire Size	Qty	Pkg	100
UL	21B1		1/2" - 1"	8 sol.	4 str.	25	250	19
	8501		1 1/4" - 2"	8 sol.	4 str.	10	100	50
	8510		2 1/2" - 4"	8 sol.	4 str.	-	10	100
	8571		4 1/2" - 6"	8 sol.	4 str.	-	10	150


GROUND CLAMPS - COPPER ALLOY - FOR RIGID CONDUIT WITH 3/4" HUB

			Min. Wire	Max.	Ctn.	Std.	Wgt/	
	Catalog No.	UPC #	Size	Size	Wire Size	Qty	Pkg	100
UL	21B2		1/2" - 1"	8 sol.	4 str.	25	250	19
	8502		1 1/4" - 2"	8 sol.	4 str.	10	100	50
	8511		2 1/2" - 4"	8 sol.	4 str.	-	10	100
	8572		4 1/2" - 6"	8 sol.	4 str.	-	10	150

GROUND CLAMPS - COPPER ALLOY - FOR RIGID CONDUIT WITH 1" HUB

			Min. Wire	Max.	Ctn.	Std.	Wgt/	
	Catalog No.	UPC #	Size	Size	Wire Size	Qty	Pkg	100
UL	21B3		1/2" - 1"	8 sol.	4 str.	25	250	19
	8503		1 1/4" - 2"	8 sol.	4 str.	10	100	50
	8512		2 1/2" - 4"	8 sol.	4 str.	-	10	100
	8573		4 1/2" - 6"	8 sol.	4 str.	-	10	150

GROUND CLAMPS - COPPER ALLOY - FOR RIGID CONDUIT WITH COPPER STRAP & HUB

			Min. Wire	Max.	Hub	Std.	Wgt/	
	Catalog No.	UPC #	Size	Size	Wire Size	Size	Pkg	100
UL	184B	06014	1/2" - 1"	8 sol.	4 str.	1/2"	50	19
	185B	06018	1/2" - 1"	8 sol.	4 str.	3/4"	25	50
	186B	06019	1/2" - 1"	8 sol.	4 str.	1"	25	65

GROUND CLAMPS FOR DIRECT BURIAL- COPPER ALLOY - UL Listed for Ground & Concrete



Catalog No.	UPC #	Size	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
1050	06090	1/2"	10 sol.	2 str.	50	500	9
1051	06091	5/8"	10 sol.	2 str.	50	250	10
1052	06092	3/4"	10 sol.	2 str.	25	250	13

GROUND CLAMPS FOR DIRECT BURIAL- BRONZE ALLOY - UL Listed for Ground & Concrete




Catalog No.	UPC #	Size	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
SRC*		3/8"- 3/4"	10 sol.	1/0 Str.	50	500	9

*It fits ALL Sizes – 3/8", 1/2", 5/8", 3/4"

Bronze Ground Clamp with Lay-in Lug for direct Burial 1/2" - 1" Pipe, 3/8"-1" Rebar, 1/4"-1" Ground Rod Wire Range 10 Sol - 2 Str.

GROUND CLAMPS - COPPER ALLOY WITH STAINLESS STEEL SCREWS FOR DIRECT BURIAL



Catalog No.	UPC #	Size	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
JRD		1/2" - 1"	10 sol.	2 str.	25	250	20

Bronze Ground Clamp with Lay-in Lug for direct Burial 1/2" - 1" Pipe, 3/8"-1" Rebar, 1/2"-1" Ground Rod Wire Range 10 Sol/Str. - 2 Str.

GROUND CLAMPS - COPPER ALLOY WITH STAINLESS STEEL SCREWS FOR DIRECT BURIAL



Catalog No.	UPC #	Size	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
JRD-1		1/2" - 1"	10 sol.	2 str.	25	250	20

Bronze Ground Clamp with Lay-in Lug for direct Burial 1/2" - 1" Rigid Conduit, 3/8"-1" Rebar, Ground Rod Wire Range 10 Sol/Str. - 2 Str.

GROUND CLAMPS - BRASS WITH BRONZE SCREWS FOR DIRECT BURIAL



Catalog No.	UPC #	Size	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
RBC1D		1/2" - 1"	10 sol.	2 str.	25	250	20



KENNY CLAMPS - CONNECTOR FOR GROUNDING ELECTRODE CONDUCTORS





Catalog No.	UPC #	Size	Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
KC1AST		1/2"	# 1/0 Stranded	10	100	30
KC2AST		1/2"	# 2/0 Stranded	10	100	30
KC2ST		1/2"	# 2 Stranded	10	100	30
KC3AST		1/2"	# 3/0 Stranded	10	100	30
KC4SO		1/2"	# 4 Solid	10	100	30
KC4ST		1/2"	# 4 Stranded	10	100	30
KC6SO		1/2"	# 6 Solid	10	100	30
KC6ST		1/2"	# 6 Stranded	10	100	30
KC8SO		1/2"	# 8 Solid	10	100	30
KC8ST		1/2"	# 8 Stranded	10	100	30

Install Kenny Clamp through a 1/2" knockout with paint removed, tighten the steel locknut, insert grounding electrode conductor through the Kenny Clamp, and tighten the compression nut. Your installation is now code compliant.



METALLIC ROMEX CONNECTOR

	Catalog No.	UPC #	Trade Size	K.O. Size	Ctn. Qty	Std. Pkg	Wgt/ 100
		474	07000	3/8"	1/2"	100	1000



COMBINATION BX-ROMEX CONNECTOR

	Catalog No.	UPC #	Trade Size	K.O. Size	Ctn. Qty	Std. Pkg	Wgt/ 100
		475	07000	3/8"	1/2"	100	1000


ARMORED CABLE (BX) SET SCREW CONNECTOR

	Catalog No.	UPC #	Trade Size	K.O. Size	Ctn. Qty	Std. Pkg	Wgt/ 100
		788	07000	3/8"	1/2"	100	1000



STRAP TYPE BX & GREENFIELD CONNECTOR

	Catalog No.	UPC #	Trade Size	K.O. Size	Ctn. Qty	Std. Pkg	Wgt/ 100
		673	07000	1/2"	1/2"	100	1000



TWO PIECE STEEL ROMEX CONNECTORS - (TILT-IN-CONNECTORS)

	Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
	TIC-50	01322		1/2"	100	1000
TIC-75/100	01323		3/4" or 1"	50	500	5
TIC-125	01324		1 1/4"	25	250	11
TIC-150	01325		1 1/2"	20	200	13

SADDLE CLAMP CONNECTOR

	Catalog No.	UPC #	Trade Size	K.O. Size	Ctn. Qty	Std. Pkg	Wgt/ 100
		SC38		3/8"	1/2"	100	1000

DUPLEX CONNECTOR - SINGLE SCREW TYPE

	Catalog No.	UPC #	Trade Size	K.O. Size	Ctn. Qty	Std. Pkg	Wgt/ 100
		2254	07016	3/8"	1/2"	25	250

90° ANGLE CONNECTOR - BX & GREENFIELD

Catalog No.	UPC #	Trade Size	K.O. Size	Ctn.	Std.	Wgt/
				Qty	Pkg	100
550	07010	3/8"	1/2"	50	500	9
560	07011	1/2"	1/2"	25	250	14
565	07012	3/4"	3/4"	10	100	20
566	07013	1"	1"	5	50	38
567	07014	1 1/4"	1 1/4"	10	40	51
568	07015	1 1/2"	1 1/2"	-	5	113
569	07009	2"	2"	-	5	123
570	20119	2 1/2"	2 1/2"	-	2	400
571	20120	3"	3"	-	1	500
572	20121	3 1/2"	3 1/2"	-	1	1300
573	20122	4"	4"	-	1	1900



FLEXIBLE CONDUIT STRAIGHT SQUEEZE CONNECTOR

Catalog No.	UPC #	Trade Size	K.O. Size	Ctn.	Std.	Wgt/
				Qty	Pkg	100
690	07030	3/8"	1/2"	50	500	7
691	07031	1/2"	1/2"	25	250	10
692	07032	3/4"	3/4"	25	250	13
693	07033	1"	1"	10	100	20
694	07034	1 1/4"	1 1/4"	10	100	29
695	07035	1 1/2"	1 1/2"	5	50	39
696	07036	2"	2"	10	50	46
697	07037	2 1/2"	2 1/2"	-	5	104
698	07038	3"	3"	-	1	149
699	07039	3 1/2"	3 1/2"	-	1	182
699A	07040	4"	4"	-	1	231



90° ANGLE CONNECTOR - BX & GREENFIELD - MALLEABLE IRON

Catalog No.	UPC #	Trade Size	K.O. Size	Ctn.	Std.	Wgt/
				Qty	Pkg	100
560M	07011	1/2"	1/2"	25	250	14
565M	07012	3/4"	3/4"	10	100	20
566M	07013	1"	1"	5	50	38
567M	07014	1 1/4"	1 1/4"	10	40	51
568M	07015	1 1/2"	1 1/2"	-	5	113
569M	07009	2"	2"	-	5	123
570M	20119	2 1/2"	2 1/2"	-	2	400
571M	20120	3"	3"	-	1	500
572M	20121	3 1/2"	3 1/2"	-	1	1300
573M	20122	4"	4"	-	1	1900



FLEXIBLE CONDUIT STRAIGHT SQUEEZE CONNECTOR - MALLEABLE IRON

Catalog No.	UPC #	Trade Size	K.O. Size	Ctn.	Std.	Wgt/
				Qty	Pkg	100
691M	07030	1/2"	1/2"	50	500	7
692M	07031	3/4"	3/4"	25	250	10
693M	07032	1"	1"	25	250	13
694M	07033	1 1/4"	1 1/4"	10	100	20
695M	07034	1 1/2"	1 1/2"	10	100	29
696M	07035	2"	2"	5	50	39
697M	07036	2 1/2"	2 1/2"	10	50	46
698M	07037	3"	3"	-	5	104
699M	07038	3 1/2"	3 1/2"	-	1	149
699AM	07039	4"	4"	-	1	182



FLEXIBLE CONDUIT SCREW-IN CONNECTOR



Catalog No.	UPC #	Trade Size	K.O. Size	Ctn. Qty	Std. Pkg	Wgt/ 100
FC-38	07019	3/8"	1/2"	50	500	6
FC-50	07020	1/2"	1/2"	50	500	6
FC-75	07021	3/4"	3/4"	25	250	10
FC-100	07022	1"	1"	25	250	16
FC-125	07023	1 1/4"	1 1/4"	10	100	28
FC-150	07024	1 1/2"	1 1/2"	10	50	38
FC-200	07025	2"	2"	10	50	63

FLEXIBLE CONDUIT SCREW-IN COUPLING



Catalog No.	UPC #	Trade Size	K.O. Size	Ctn. Qty	Std. Pkg	Wgt/ 100
FCP-50		1/2"	1/2"	50	500	6
FCP-75		3/4"	3/4"	25	250	10
FCP-100		1"	1"	25	250	16
FCP-125		1 1/4"	1 1/4"	10	100	28
FCP-150		1 1/2"	1 1/2"	10	50	38
FCP-200		2"	2"	10	50	63

BX/MC ONE HOLE STRAP



Catalog No.	UPC #	Size	Ctn. Qty	Std. Pkg	Wgt/ 100
MBX-50	00418	1/2"	100	1000	5

ANTI-SHORT BUSHINGS




Catalog No.	UPC #	Trade Size	Cable Size	Bag Qty	Std. Pkg Bags	Wgt/ 100
ASB0		5/16"	14/2, 14/3, 12/2	35	500	7
ASB1		3/8"	14/4, 12/3, 6/1, 4/1	35	400	10
ASB2		7/16"	12/4, 10/2, 10/3, 2/1	35	300	13
ASB3		1/2"	10/4, 8/2, 8/3, 1/1	20	200	20
ASB4		3/4"	8/4, 6/2, 6/3, 6/4, 4/2, 4/3	16	100	29
ASB5		1"	3-1, 2-1, 2-1/10, 1-300MCM, 1-350MCM, 1-400MCM, 1-450MCM, 1-500MCM	16	10	39
ASB6		1 1/4"	4-1, 4-1/10, 4-2/0, 3-1/0, 3-2/0, 3-3/0, 2-2/0, 2-3/0, 2-4/0, 1-600MCM, 1-650MCM, 1-700MCM, 1-750MCM, 1-800MCM, 1-900MCM	10	10	46
ASB7		1 1/2"	4-3/0, 4-4/0, 3-4/0, 3-250MCM, 3-300MCM, 2-250MCM, 2-300MCM, 2-350MCM, 1-1000MCM	10	10	104
ASB8		2" - 2 1/2"	4-250MCM, 4-300MCM, 4-350MCM, 4-400MCM, 4-450MCM, 4-500MCM, 3-350MCM, 3-400MCM, 3-450MCM, 3-500MCM, 2-400MCM, 2-450MCM, 2-500MCM	10	10	149

SNAP-IN BUSHING




Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
SB-050		1/2"	100	1000	0.69
SB-075		3/4"	100	1000	0.88
SB-100		1"	50	500	1.1
SB-125		1 1/4"	50	500	1.6
SB-150		1 1/2"	25	250	1.9
SB-200		2"	25	250	2.8

UNIVERSAL SNAP-IN BUSHING




Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
USB-1		Metal Stud Grommet are intended for the most commonly used 1-11/32 in. openings for metal studs.	100	1000	3


NM SNAP-IN CONNECTOR

	Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
	RCR-50		1/2"	100	1000	2
RCR-75		3/4"	100	1000	3	


NM SNAP-IN CONNECTOR

	Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
	NM-050		1/2"	100	1000	1


GREEN GROUNDING SCREW

	Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
	GS1300		10/32 x 3/8	100	1000	1

GREEN GROUNDING CLIP


	Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
	GC-1000		#10 #12 or #14 AWG	100	1000	1

GREEN GROUNDING PIGTAILS


	Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
	GP127		12 AWG Solid, 6 1/2" Long	100	1000	24
	GP128		12 AWG Solid , 7 1/2" Long	100	1000	25
	GP1212		12 AWG Solid, 12" Long	100	1000	26

CUSTOM SIZES AVAILABLE CALL FOR DETAILS


#12 JACK CHAIN - ZINC PLATED STEEL

	Catalog No.	UPC #	Trade Size	Load Limit - lbs	Type	Ctn. Qty	Std. Pkg	Wgt/ 100
	JC-56	01558	12	29	Reel	100	1000	9
	JC-56H		12	29	Box	100	1000	9


#12 "S" HOOKS - ZINC PLATED STEEL

	Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
	JC-58	01556	#12	100	1000	3


ROOF TIE BRACKET

	Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
	RT-100	07121	-	-	10	185

EMT INSULATING BUSHING

	Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ Pkg
	EIB050		1/2"	100	1000	5
	EIB075		3/4"	100	1000	6
	EIB100		1"	50	500	5
	EIB125		1 1/4"	25	250	4
	EIB150		1 1/2"	25	250	5
	EIB200		2"	20	200	5
	EIB250		2 1/2"	-	25	1
	EIB300		3"	-	25	2
	EIB350		3 1/2"	-	25	2
	EIB400		4"	-	25	2

SEALFLEX - DUCT SEAL - CAULKING SEALER



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
C-10	01552	1 LB Bag	50 Bags	50lbs	100
C-50	01553	5 LB Bag	10 Bags	50lbs	100


ABESTOS FREE - MSDS Sheets available upon request
UL File: R11678

SWITCH BOX SUPPORTS



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ Pkg
SBS-10		Sold in Pairs	50 Pair	500 Pr	25

ROUND POLE STRAPS - HEAVY DUTY - HOT DIPPED GALVANIZED



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
RPS75		3/4"	25	250	16
RPS200		2"	10	50	28
RHS200*		2"	10	50	28
RPS250		2 1/2"	10	50	32
RPS300		3"	-	10	68
RPS400		4"	-	10	72
RPS500		5"	-	10	86
RPS600		6"	-	10	109

*Flat Ends for Mounting to Flat Surfaces

**THESE UNIQUELY SHAPED STRAPS CONFORM TO ROUND POLES
VIRTUALLY ELIMINATING PULL OUT ASSOCIATED WITH STANDARD FLAT
SURFACE STRAPS.**

PROTECTOR (NAIL) PLATES



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
NP100			50	500	100
NP5			25	250	100

ANCHOR KIT



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
AK100		10 X 1 Combo Pan Head Screws	1	25	100
AK100H		10 X 1 Combo Hex Head Screws	1	25	100

EACH KIT CONTAINS: 100: 10 X 1 SCREWS
100: 10-12 X 1 PLASTIC ANCHORS
1: 1/4" MASONRY DRILL BIT

PACKAGED IN DIVIDED VIEW THROUGH CLEAR PLASTIC BOX
LABELED WITH YOUR COMPANY NAME, ADDRESS, PHONE & FAX

PVC CONDUIT TWO-HOLE STRAP



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
J210		1/2"	100	1000	0.69
J230		3/4"	100	1000	0.88
J240		1"	50	500	1.1
J250		1 1/4"	50	500	1.6
J260		1 1/2"	25	250	1.9
J270		2"	25	250	2.8
J280		2 1/2"	10	100	4
J290		3"	10	100	5
J300		4"	10	100	6

ELECTRICAL TAPE



2" X 60' Rolls Also Available

Catalog No.	UPC #	Trade Size	Rolls per Sleeve	Std. Pkg	Wgt/ 100
ETBLACK		3/4" X 60'	10	200	20
ETBLUE		3/4" X 60'	10	200	20
ETYELLOW		3/4" X 60'	10	200	20
ETGREEN		3/4" X 60'	10	200	20
ETRED		3/4" X 60'	10	200	20
ETWHITE		3/4" X 60'	10	200	20
ETORANGE		3/4" X 60'	10	200	20
ETPURPLE		3/4" X 60'	10	200	20
ETBROWN		3/4" X 60'	10	200	20
ETGRAY		3/4" X 60'	10	200	20

DUCT TAPE



Catalog No.	UPC #	Trade Size	Rolls per Case	Std. Pkg	Wgt/ Pkg
DUCT TAPE		2" X 60'	24	24	42

DIRECT BURIAL UNDERGROUND TAPES

DIRECT BURIAL TAPE - NON-DETECTABLE 4 Mil ----- Line Buried Below

Catalog No.	UPC #	Trade Size	Color	Std. Pkg	Wgt/ EA
ELBBRED3000		3" X 1000'	RED	8	5
ELBBRED6000		6" X 1000'	RED	4	10
ELBBRED3300		3" X 300'	RED	16	2
ELBBYEL3000		3" X 1000'	*YELLOW	8	5
ELBBYEL6000		6" X 1000'	*YELLOW	4	10
TLBBORG3000		3" X 1000'	ORANGE	8	5
TLBBORG6000		6" X 1000'	ORANGE	4	10
GLBBYEL3000		3" X 1000'	YELLOW	8	5
GLBBYEL6000		6" X 1000'	YELLOW	4	10
WLBBLUE3000		3" X 1000'	BLUE	8	5
WLBBLUE6000		6" X 1000'	BLUE	4	10
WLBBLUE3300		3" X 300'	BLUE	16	2



APWA LEGEND

- YELLOW GL = GAS
- BLUE WL = WATER
- RED EL = ELECTRIC
- GREEN SL = SEWER
- PURPLE RW = RECLAIMED WATER
- ORANGE TL/FO = TELEPHONE/FIBER OPTIC

*YELLOW ELECTRIC LINE BURIED BELOW

PLEASE CALL FOR PART NUMBER IF LEGEND NEEDED IS NOT SHOWN

DIRECT BURIAL TAPE - DETECTABLE 5 Mil ----- Line Buried Below

Catalog No.	UPC #	Trade Size	Color	Std. Pkg	Wgt/ 100
ELDTRED3000		3" X 1000'	RED	8	7.5
ELDTRED6000		6" X 1000'	RED	4	15
FOLDTORG3000		3" X 1000'	ORANGE	8	7.5
FOLDTORG6000		6" X 1000'	ORANGE	4	15
TLDTORG3000		3" X 1000'	ORANGE	8	7.5
TLDTORG6000		6" X 1000'	ORANGE	4	15



2" X 1000' ALSO AVAILABLE

BARRICADE TAPE - 3 Mil MANY DIFFERENT LEDGENDS AVAILABLE



Catalog No.	UPC #	Trade Size	Color	Std. Pkg	Wgt/ 100
CT1000		3" X 1000'	YELLOW	8	2.8
CT3300		3" X 300'	YELLOW	16	1.2

PLEASE CALL FOR PART NUMBER IF LEGEND NEEDED IS NOT SHOWN

SERVICE ENTRANCE STAPLES



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
RS-4100		6 SER	50	500	
RS-4200		6 SEU	50	500	
RS-4300		2 SER	25	250	
RS-4400		2 SEU	25	250	
RS-4500		4/0 SEU	25	250	
RS-4600		4/0 SER	25	250	
RS-4700		2/0 SER	25	250	

CO-AX STAPLES



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
RSB5000		1/4" 1-Nail Co-Ax Black	100	1000	
RSW5000		1/4" 1-Nail Co-Ax White	100	1000	
RSB5100		1/4" 1-Nail Flat Black	100	1000	
RSW5100		1/4" 1-Nail Flat White	100	1000	

STACKING STAPLES



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
RS-6200		1/2" Two-Wire	50	500	
RS-6300		1/2" Three-Wire	50	500	
RS-6400		1/2" Four-Wire	50	500	

TWO-NAIL STAPLES



Catalog No.	UPC #	Trade Size	Ctn. Qty	Std. Pkg	Wgt/ 100
RS-1200		1/2" Two-Nail Strap	100	2000	
RS-1200B		1/2" Two-Nail Strap	500	5000	
RS-3400		3/4" Two-Nail Strap	100	2000	
RS-3400B		3/4" Two-Nail Strap	250	2500	

Bulk Buckets also available

WIRE CONNECTORS - TWIST-ON STANDARD



Catalog No.	UPC #	Color	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
WNGS-1000		GRAY	1 #20	2 # 16	100	1000	
WNBS-1000		BLUE	3 #22	3 #16	100	1000	
WNOS-1000		ORANGE	3 #22	2 #14 w/1 #18	100	1000	
WNYS-1000		YELLOW	1 #14	1 #10 w/1 #14	100	1000	
WNRS-1000		RED	2 #14	4 #12	100	1000	

WIRE CONNECTORS - TWIST-ON WING TYPE



Catalog No.	UPC #	Color	Min. Wire Size	Max. Wire Size	Ctn. Qty	Std. Pkg	Wgt/ 100
WNYW-1000		YELLOW	2 #18	3 #12 Sol	100	1000	
WNRW-1000		RED	2 #16	5 #12 Sol	100	1000	
WNGW-1000		GRAY	2 #12	3 #10 w/1 #12	100	1000	
WNGRW-1000		GREEN Grounding	2 #14	1 #10 w/3 #12 & 1 #14	100	1000	
WNBW-1000		BLUE	1 # 10 w/1 #12	1 #6 w/2 #8	100	1000	

HEAVY & MEDIUM DUTY WIREHOLDERS



Metal Cup

Leaded

Catalog No.	UPC #	Description	Std. Pkg	Wgt/100
131	05003	2 1/4" Lg. Lag Screw Leaded	50	63
132	05000	2 1/4" Lg. Lag Screw Attached w/Cup	50	68
133	05001	3" Lg. Lag Screw Attached w/Cup	50	68
134	05002	4" Lg. Lag Screw Attached w/Cup	25	75

LIGHT DUTY WIREHOLDERS



Catalog No.	UPC #	Description	Std. Pkg	Wgt/100
B-9	05004	1 11/16" Lg. Lag Screw Leaded	100	25

HOUSE BRACKETS & INSULATORS



135



136



B-8



300

Catalog No.	UPC #	Description	Std. Pkg	Wgt/100
135	05005	3/8 x 3/8 Machine Stud Attached w/Cup	50	65
136	05006	3/8 x 3/8 Machine Stud Leaded	50	60
B-8		1/4 x 1/4 Machine Stud Leaded	50	72
300	05050	3/8" Tap House Strap 4 1/2" Centers	10	64
302+	05051	# 300 with 2 No. 135 Wireholders	10	200
303+	05052	# 300 with 3 No. 135 Wireholders	10	250
304*	05053	# 300 with 2 No. 136 Wireholders	10	225
305*	05054	# 300 with 3 No. 136 Wireholders	10	300



+ Heavy Duty



* Medium Duty

MEDIUM DUTY SECONDARY RACKS *INCLUDING B-355 SPOOL INSULATORS



Catalog No.	UPC #	No. Insulators	Center Spacing	Std. Pkg	Wgt/100
B32	05110	2	8" 18"	5	570
B33	05111	3	4" 18"	5	691
B34	05112	3	8" 25"	5	911
B35	05113	5	4" 25"	5	1158
B38	05114	4	8" 34"	5	1232

SPOOLS



Catalog No.	UPC #	Description	Std. Pkg	Wgt/100
B-5	05010	2 1/4" Diameter Porcelain Spool	50	43
B-355	05011	3" Diameter Porcelain Spool	50	124

CLEVIS INSULATOR



Catalog No.	UPC #	Extension	Mounting	Steel Size	Std. Pkg	Wgt/100
MWK4111		4"	11/16 Sqr	1/8 x 1/2 x 1	10	250
MWK4112		4"	11/16 x 7/8	3/16 x 3	10	360
MWK4113		5"	3/4	1/8 x 1 3/4	10	260

DRIVE HOOK - HOT DIP GALVANIZED



Catalog No.	UPC #	Description	Std. Pkg	Wgt/100
MW1020		7/16" x 4 3/4" Fetter Drive	10	26

FORGED OVAL EYE BOLTS with NUT - HOT DIP GALVANIZED - ROLLED THREADS




Catalog No.	UPC #	Description	Std. Pkg	Wgt/ 100
MW9408		5/8" x 8" Oval Eye Bolt	50	132
MW9410		5/8" x 10" Oval Eye Bolt	50	146
MW9412		5/8" x 12" Oval Eye Bolt	50	160
MW9414		5/8" x 14" Oval Eye Bolt	25	176
MW9416		5/8" x 16" Oval Eye Bolt	25	188
MW9508		3/4" x 8" Oval Eye Bolt	25	192
MW9510		3/4" x 10" Oval Eye Bolt	25	208
MW9512		3/4" x 12" Oval Eye Bolt	25	224
MW9514		3/4" x 14" Oval Eye Bolt	25	248
MW9516		3/4" x 16" Oval Eye Bolt	25	268

MACHINE BOLTS with NUT- HOT DIP GALVANIZED - ROLLED THREADS



Catalog No.	UPC #	Description	Std. Pkg	Wgt/ 100
MW5806		5/8" x 6" Machine Bolt	100	68
MW5808		5/8" x 8" Machine Bolt	50	82
MW5809		5/8" x 9" Machine Bolt	50	90
MW5810		5/8" x 10" Machine Bolt	50	98
MW5812		5/8" x 12" Machine Bolt	50	112
MW5814		5/8" x 14" Machine Bolt	50	128
MW5816		5/8" x 16" Machine Bolt	50	146
MW5818		5/8" x 18" Machine Bolt	50	162
MW5820		5/8" x 20" Machine Bolt	40	170
MW7506		3/4" x 6" Machine Bolt	50	99
MW7508		3/4" x 8" Machine Bolt	50	124
MW7510		3/4" x 10" Machine Bolt	25	146
MW7512		3/4" x 12" Machine Bolt	25	170
MW7514		3/4" x 14" Machine Bolt	25	184
MW7516		3/4" x 16" Machine Bolt	25	212
MW7518		3/4" x 18" Machine Bolt	25	240
MW7520		3/4" x 20" Machine Bolt	25	262

SQUARE WASHER - HOT DIP GALVANIZED



Catalog No.	UPC #	Description	Std. Pkg	Wgt/ 100
SW58		5/8" Sq. 2 1/4" x 2 1/4" x 3/16"	10	250

NUTS - HOT DIP GALVANIZED



MW1075

MW1070

Catalog No.	UPC #	Description	Std. Pkg	Wgt/ 100
SN58		5/8" Square Nut	10	250
MW1070		5/8" Eyelet	10	275
MW1075		5/8" Eye Nut	10	275

THIMBLE EYENUTS - HOT DIP GALVANIZED




Catalog No.	UPC #	Bolt Diameter	Max Strand Size	Std. Pkg	Wgt/ 100
MW6510		5/8"	1/2"	50	92
MW6511		3/4"	1/2"	50	92

GUY CLAMP - HOT DIP GALVANIZED



Catalog No.	UPC #	Description	Std. Pkg	Wgt/ 100
MW8650		3 Bolt 6" Length for 3/16" - 7/16" strand	10	236

CUSTOM KITS ARE AVAILABLE UPON REQUEST



2" SERVICE MAST KITS - 100 AMPERE SERVICE OR LESS

Catalog No.	UPC #	Service Head	Insulator Bracket	Roof Flashing	Conduit Support	Reducer	Std. Pkg	Wgt/ 100
SM202SF	02336	2425	-	2900	2) PS-7L	2200X	5	368
SM200SF	02302	2400	-	2900	2) PS-7L	2200X	5	382
SM200SF1	02303	2400	1) 4000	2900	2) PS-7L	2200X	5	528
SM202BF	02337	2425	-	2900	2) 2350A	2200X	5	518
SM200BF	02308	2400	-	2900	2) 2350A	2200X	5	536
SM200BF1	02310	2400	1) 4000	2900	2) 2350A	2200X	5	679
SM200BFL	20288	2400	-	2900	2) 2350LA	2200X	5	
SM200BFML/4200		2400	1) 4200	2900	2) 2350L	2200X	1	
5000	02350	2400	-	2900	1) 2350A	2200X	5	500
5010	02351	2400	1) 4000	RP200	1) 2350A	2200X	5	650

2" SERVICE MAST KITS - 125-150-200 AMPERE SERVICE

Catalog No.	UPC #	Service Head	Insulator Bracket	Roof Flashing	Conduit Support	Reducer	Std. Pkg	Wgt/ 100
SM202ASF	02338	245RHC	-	2900	2) PS-7L	-	1	430
SM200ASF	02325	295HC	-	2900	2) PS-7L	-	1	400
SM200ASF1	02325	295HC	1) 4000	2900	2) PS-7L	-	1	600
SM200ABF	02328	295HC	-	2900	2) 2350A	-	1	600
SM200ABF1	02329	295HC	1) 4000	2900	2) 2350A	-	1	700
SM200SPS		245DC	1) 4200	2900	2) PS-7L	-	1	
5010A	02357	295HC	1) 4000	RP200	1) 2350A	-	1	700

2 1/2" SERVICE MAST KITS - 100 AMPERE SERVICE OR LESS

Catalog No.	UPC #	Service Head	Insulator Bracket	Roof Flashing	Conduit Support	Reducer	Std. Pkg	Wgt/ 100
SM250SF	02382	2600	-	3000	2) PS-8L	2700X	5	430
SM250BF1	02389	2600	1) 4050	3000	2) 2850A	2700X	5	720
7010	02411	2600	1) 4050	RP250	1) 2850A	2700X	5	725

2 1/2" SERVICE MAST KITS - 125-150-200 AMPERE SERVICE

Catalog No.	UPC #	Service Head	Insulator Bracket	Roof Flashing	Conduit Support	Reducer	Std. Pkg	Wgt/ 100
SM250ASF	02395	2650HC	-	3000	2) PS-8L	3600	1	600
SM250ASF1	02396	2650HC	1) 4050	3000	2) PS-8L	3600	1	700
SM250ABF	02398	2650HC	-	3000	2) 2850A	3600	1	695
SM250ABF1	02399	2650HC	1) 4050	3000	2) 2850A	3600	1	900
SM250SPS		2650HC	1) 4200	3000	2) PS-8L	3600	1	
7010A	02417	2650HC	1) 4050	RP250	1) 2850A	3600	1	805

3" SERVICE MAST KITS - 125-150-300 AMPERE SERVICE

Catalog No.	UPC #	Service Head	Insulator Bracket	Roof Flashing	Conduit Support	Reducer	Std. Pkg	Wgt/ 100
SM300ABF1	02454	3650	1) 44000	3100	2) 2950	3700	1	1180

4" SERVICE MAST KITS

Catalog No.	UPC #	Service Head	Insulator Bracket	Roof Flashing	Conduit Support	Reducer	Std. Pkg	Wgt/ 100
SM400ABF1	20002	249-R	1) 4600	3300	2) 3150	-	1	





CUSTOM KITS ARE AVAILABLE UPON REQUEST

SERVICE ENTRANCE CABLE KITS

Catalog No.	UPC #	Hub		Cable Size	SEC Head	W.T. Conn.	Non W.T. Conn	Wall Flange	Cable Straps	Std. Pkg	Wgt/100
		Size	AMP								
0320W032R		1 1/4"	100	3 No. 2	1) 24	032R	2) 57	1) 2	12) 232-X	1 / 10	
0320/WTC-12		1 1/4"	100	3 No. 2	1) 24	WTC-12	2) 57	1) 2	12) 232-X	1 / 10	
0320W57		1 1/4"	100	3 No. 2	1) 24	WTC-12	2) 57	-	12) 232-X	1 / 10	
0420W256		1 1/2"	150	3 No. 2/0	1) 256	2/0R	2) 58	1) 13	12) 282-X	1 / 5	
0420/WTC-23		1 1/2"	150	3 No. 2/0	1) 256	WTC-23	2) 58	1) 13	12) 282-X	1 / 5	
0420W58		1 1/2"	150	3 No. 2/0	1) 256	WTC-23	2) 58	-	12) 282-X	1 / 5	
0520W256		2"	150	3 No. 2/0	1) 256	2/0RS	2) 58	1) 13	12) 282-X	1 / 5	
0520/WTC-32		2"	150	3 No. 2/0	1) 256	WTC-32	2) 58	1) 13	12) 282-X	1 / 5	
0520W211S		2"	150	3 No. 2/0	1) 256	211S	2) 58	1) 13	12) 282-X	1 / 5	
0620W256		2"	200	3 No. 4/0	1) 256	4/0R	2) 59	1) 14	12) 284-X	1 / 5	
0620/WTC-34		2"	200	3 No. 4/0	1) 256	WTC-34	2) 59	1) 14	12) 284-X	1 / 5	
0620W59		2"	200	3 No. 4/0	1) 256	WTC-34	2) 59	-	12) 284-X	1 / 5	



SERVICE ENTRANCE CABLE KITS

Catalog No.	Cable Size	Hub Size	AMP	SEC Head	W.T. Conn.	Non W.T. Conn	Acorn Ground Clamps	Ground Clamps	Cable Straps	Std. Pkg	Wgt/100
0258W1051	3 No. 2/0	1 1/2"	150	1) 258	WTC-22	2) 58	2) 1051	3) 21M	10) 282-XB	1 / 10	
0257W1051	3 No. 4/0	2"	200	1) 257DC	WTC-35	2) 59	2) 1051	3) 21M	10) 284-XB	1 / 10	



One Box does it all!