

# C2SS1-10B-10



SELECTOR SWITCH#C2SS1-10B-10

## General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | C2SS1-10B-10   |
| Product ID            | 1SFA619200R1016  |
| EAN                   | 7320500245378  |
| Catalog Description   | SELECTOR SWITCH#C2SS1-10B-10   |
| Long Description      | Compact Selector Switch - 2-pos Fixed B&C - Short handle - Black - Non-illuminated - Black plastic - 1NO |

## Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 7320500245378 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 8536501999    |

## Dimensions

|                            |         |
|----------------------------|---------|
| Product Net Width          | 0.030 m |
| Product Net Height         | 0.030 m |
| Product Net Depth / Length | 0.072 m |
| Product Net Weight         | 0.02 kg |

## Container Information

|                                |          |
|--------------------------------|----------|
| Package Level 1 Units          | 10 piece |
| Package Level 1 Width          | 0.1 m    |
| Package Level 1 Height         | 0.03 m   |
| Package Level 1 Depth / Length | 0.1 m    |
| Package Level 1 Gross Weight   | 0.02 kg  |
| Package Level 2 Units          | 10       |

## Environmental

|                         |   |
|-------------------------|---|
| Ambient Air Temperature | Storage -30 ... +85 °C<br>Operation -25 ... +70 °C              |
| RoHS Status             | Following EU Directive 2002/95/EC August 18, 2005 and amendment |

## Additional Information

|  |  |
|--|--|
| Actuator Type                                    | Short handle                                 |
| Bezel Material                                   | Black plastic                                |
| Block  | 1NO  |
| Color  | Black  |
| Degree of Protection                             | Front IP69K<br>Terminals IP20                |
| Function   | Maintained                                   |
| Illumination                                     | Non-illuminated                              |
| Maintained Positions                             | B, C   |
| Mechanical Durability                            | 0.5 million                                  |
| Number of Auxiliary Contacts NO                  | 1  |
| Product Main Type                                | C2SS1  |
| Product Name                                     | Selector Switch                              |
| Product Range                                    | Compact                                      |
| Product Type                                     | C2SS   |
| Rated Frequency (f)                              | Supply Circuit 60 Hz<br>Supply Circuit 50 Hz |
| Rated Operational Current AC-15 ( $I_{\theta}$ ) | (24 / 127 V) 1.5 A<br>(220 / 240 V) 1 A      |
| Rated Operational Current DC-13 ( $I_{\theta}$ ) | (24 V) 0.3 A<br>(125 V) 0.2 A                |
| RoHS Date  | 0626 5                                       |
| Sub-Function                                     | 2-position                                   |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151005C0201 |
| Declaration of Conformity - CE    | 1SFA1-70        |
| Environmental Information         | 1SFC151009D0201 |
| Instructions and Manuals          | 1SFC151005C0201 |
| RoHS Information                  | 1SFC151012D0202 |

## Classifications

|                            |  |
|----------------------------|--|
| E-nummer                   | 3705524  |
| ETIM 4                     | EC002024 - Accessories for control circuit devices         |
| ETIM 5                     | EC001029 - Selector switch, complete                       |
| ETIM 6                     | EC001029 - Selector switch, complete                       |
| Object Classification Code | S  |
| UNSPSC                     | 39121500   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Pilot Devices - Compact Range

