

Competitive Cross Reference Guide

Steel City®

Floor Boxes Poke Through Systems Access Floor Modules

Floor Boxes	2-6
Flush Service	2-4
Recessed Service	5
Wood Sub-Floors	6
Poke Through Systems	7
Access Floor Modules	7




Effective February 2007

United States
Tel: 901.252.8000
Fax: 901.252.1354

Canada
Tel: 450.347.5318
Fax: 450.347.1976

Technical Services
Tel: 888.862.3289

www.tnb.com 



Flush Service: Round Floor Boxes


Description	Thomas & Betts	Wiremold	Hubbell	Carlon	Lew
Floor Box — Cast Iron, 64 cu. in., brass tile trim	600 SC				
Floor Box — Cast Iron, 56 cu. in., brass tile trim	601 SC	889B *	B2506		532-XD-58
Floor Box — Cast Iron, 36 cu. in., brass tile trim	602 SC	889B *	B2503		532-58
Floor Box — Cast Iron, 27 cu. in., brass tile trim	603 SC	887B *	B2536		532-SB-58
Floor Box — Cast Iron, 15 cu. in., brass tile trim	604 SC	887B *	B2520		332-58
Floor Box — Steel, 60 cu. in., brass tile trim	68 D	886B *	B2527		
Floor Box — Steel, 47 cu. in., brass tile trim	68 S	885B *	B2529		
Floor Box — Non-Metallic	68 P	"881, 882C, 884C"	PFB1	E971FB	FB
Adjusting Ring — Non-Metallic Floor Box	68-PAR	881ADP	PFBA1A	E97ABR2	LRA
Voltage Divider — Non-Metallic Floor Box	68P-DV-KIT-BRS **	881DIV	PFBT1A	E973K	SLIDE
Tile Trim — Brass	68PFL	880ADP	S5016		
Carpet Trim — Brass	P 60 CP		S3082		
Cover — Brass, Duplex, 2 Lift Lids, Tile	P 60 DS	895T	S3925	E97BR2	TCP-2-LR
Cover — Brass, Duplex, 2 Lift Lids, Carpet	P 60 CACP	895	SF3925	E97BR2	TCP-2-LR
Cover — Brass, Duplex, 2 Plugs, Tile	P 60 DU	895TSP	S3725		TCP-2
Cover — Brass, Duplex, 2 Plugs, Carpet	P 60 DU + P 60 CP	895SP	S3725 + S3082		TCP-2
Cover — Brass, Duplex, 1 Lift Lid, Tile	P 60 DR			E97BR	DCF-1-X
Cover — Brass, Duplex, 1 Lift Lid, Carpet	P 60 DR + P 60 CP			E97BR	DCF-1-X
Cover — Brass, GFCI, Tile	P60-GFCI	895TGFI		E97BR	DCF-1-X-GFI
Cover — Brass, GFCI, Carpet	P 60 CACP GFCI	895GFI		E97BR	DCF-1-X-GFI
Cover — Brass, ½", Tile	P 60 1/2	896TCK-1/2			TCP-1
Cover — Brass, ½", Carpet	P 60 1/2 + P 60 CP	896CK-1/2			TCP-1
Cover — Brass, ¾", Tile	P 60 3/4	896TCK-3/4	S2525		TCP-1-3/4
Cover — Brass, ¾" & 2", Carpet	P 60 3/4 2 CACP	896CK-3/4	S2525 + S3082		TCP-1-3/4
Cover — Brass, 1", Tile	P 60 1	896TCK-1	S2725		TCP-1-1
Cover — Brass, 1", Carpet	P 60 1 + P 60 CP	896CK-1	S2725 + S3082		TCP-1-1
Cover — Brass, 1½", Tile	P 60 1 1/4			E97BRG	
Cover — Brass, 1½", Carpet	P 60 1 1/4 + P 60 CP			E97BRG	
Cover — Brass, 2", Tile	P 60 2	896TCK	S2925		
Cover — Brass, ¾" & 2", Carpet	P 60 3/4 2 CACP	896CK	S2925 + S3082		
Cover — Brass, 2½", Tile	P 60 2 5/8	896T	S3525		
Cover — Brass, 2½", Carpet	P 60 2 5/8 + P 60 CP	896	S3525 + S3082		
Cover — Non-Metallic, Duplex, Carpet (x=color)	P 68 DRC xxx ***	895P-xxx	PFBCxA	E97DSx	PFC-x
Cover — Non-Metallic, Single Rec., Carpet (x=color)	P 68 SRC xxx ***				PFC-x-TEL
Cover — Non-Metallic, 1", Carpet (x=color)	P 68 FSC xxx ***	896PCK-xxx		E97SSRx	

* Brass tile trim not included

** Complete kit including voltage divider and brass cover assembly for 2 power outlets and 4 data jacks

*** For non-metallic round floor box only

Competitive Cross Reference Guide



Flush Service: Rectangular Floor Boxes (Cast Iron)


Description	Thomas & Betts	Wiremold	Hubbell	Lew
Floor Box — Cast Iron, 1-gang, brass tile trim	641	880CS1-1 *	B2436	1101-58
Floor Box — Cast Iron, 2-gang, brass tile trim	642	880CS2-1 *	B4233	1102-58
Floor Box — Cast Iron, 3-gang, brass tile trim	643	880CS3-1 *	B4333	1103-58
Floor Box — Cast Iron, 4-gang, brass tile trim	644			6264-58
Floor Box — Cast Iron, 1-gang, shallow, brass tile trim	841 SC	880CM1-1 *	B2414	SH-1101-58
Floor Box — Cast Iron, 2-gang, shallow, brass tile trim	842 SC	880CM2-1 *	B4214	SH-6262-58
Floor Box — Cast Iron, 3-gang, shallow, brass tile trim	843 SC	880CM3-1 *	B4314	SH-6263-58
Tile Trim — Brass	SP 641FL	817T, 827T, 837T	S5017A	
Carpet Trim — Brass, 1-gang	P 64 CP	817B	SB3083	CF-1101-DFB
Carpet Trim — Brass, 2-gang	P 64 2G CP	827B	SB3084	CF-1102-DFB
Carpet Trim — Brass, 3-gang	P 64 3G CP	837B	SB3085	CF-1103-DFB
Carpet Trim — Brass, 4-gang	P64 4GCP			CF-6264-DFB
Carpet Trim — Non-Metallic, 1-gang (x=color)	P64P-CP-xxx	817PCC-xxx		
Carpet Trim — Non-Metallic, 2-gang (x=color)	P64P-2G-CP-xxx	827PCC-xxx		
Carpet Trim — Non-Metallic, 3-gang (x=color)	P64P-3G-CP-xxx	837PCC-xxx		
Cover — Brass, Duplex, 2 Lift Lids	P 64 DS	828R	S3825	6304-DFB-LR
Cover — Brass, Duplex, 2 Plugs	P 64 DU	828PTC	S3625	6304-DP
Cover — Brass, GFI	P64-GFI	828GFITC	S3826	6304-DFB-1-GFI
Cover — Brass, ½"	P 64 1/2	829CK-1/2		6304-S
Cover — Brass, ¾"	P 64 3/4	829CK-3/4	S2425	
Cover — Brass, 1"	P 64 1	829CK-1	S2625	
Cover — Brass, 1½"	P 64 1 1/4			
Cover — Brass, 2"	P 64 2	829CK	S2825	6304-S
Cover — Brass, 2½"	P 64 2 5/8	829CK	S3425	
Cover — Brass, ½" & 2"	P 64 1/2 2	829CK-1/2		6304-S
Cover — Brass, ¾" & 2"	P 64 3/4 2	829CK-3/4	S2425	
Cover — Non-Metallic, Duplex (x=color)	P 64 P URC xxx	828PR-xxx		
Cover — Non-Metallic, Blank (x=color)	P 64 P BP xxx			

* Brass tile trim not included with box



Steel City®

Competitive Cross Reference Guide



Flush Service: Rectangular Floor Boxes (Steel & Non-Metallic)

Description	Thomas & Betts	Wiremold	Hubbell	Carlon
Floor Box — Stamped Steel, 1-gang, deep	741D	880S1	B2431 *	
Floor Box — Stamped Steel, 2-gang, deep	742D	880S2	B2432 *	
Floor Box — Stamped Steel, 3-gang, deep	743D	880S3	B2433 *	
Floor Box — Stamped Steel, 1-gang, shallow	741S	880M1	B2421 *	
Floor Box — Stamped Steel, 2-gang, shallow	742S	880M2	B2422 *	
Floor Box — Stamped Steel, 3-gang, shallow	743S	880M3	B2423 *	
Floor Box — Non-Metallic, 1-gang	641P	880MP	PFBRG1	E976RFB
Floor Box — Non-Metallic, 2-gang	642P	880MP (qty=2)	PFBRG2	E976RFB (qty=2)
Floor Box — Non-Metallic, 3-gang	643P	880MP (qty=3)	PFBRG3	E976RFB (qty=3)
Adjusting Ring for non-metallic box (1 per gang)	Included w/Trim	880MPA	PFBRAC	E97AK2
Tile Trim — Brass, 1-gang	641 P TACB	817B	S5017G **	E9761BR
Tile Trim — Brass, 2-gang	642 P TACB	827B	S5017G (qty=2) **	E9762BR
Tile Trim — Brass, 3-gang	643 P TACB	837B	S5017G (qty=3) **	E9763BR
Tile Trim — Non-Metallic, 1-gang (x=color)	641 T CAC xxx	817PCC-xxx	PFBRFRA	E9761xx
Tile Trim — Non-Metallic, 2-gang (x=color)	642 T CAC xxx	827PCC-xxx	PFBRFRA (qty=2)	E9762xx
Tile Trim — Non-Metallic, 3-gang (x=color)	643 T CAC xxx	837PCC-xxx	PFBRFRA (qty=2)	E9763xx
Carpet Trim — Brass, 1-gang	641 P CACB	817B	SB3083	E9761BR
Carpet Trim — Brass, 2-gang	642 P CACB	827B	SB3084	E9762BR
Carpet Trim — Brass, 3-gang	643 P CACB	837B	SB3085	E9763BR
Carpet Trim — Non-Metallic, 1-gang (x=color)	641 P CAC xxx	817PCC-xxx	PFBRFx1	E9761xx
Carpet Trim — Non-Metallic, 2-gang (x=color)	642 P CAC xxx	827PCC-xxx	PFBRFx2	E9762xx
Carpet Trim — Non-Metallic, 3-gang (x=color)	643 P CAC xxx	837PCC-xxx	PFBRFx3	E9763xx
Cover — Brass, Duplex, 2 Lift Lids	P 64 DS	828R	S3825	
Cover — Brass, Duplex, 2 Plugs	P 64 DU	828PTC	S3625	
Cover — Brass, GFCI	P64-GFCI	828GFITC	S3826	
Cover — Brass, ½"	P 64 1/2	829CK-1/2		
Cover — Brass, ¾"	P 64 3/4	829CK-3/4	S2425	
Cover — Brass, 1"	P 64 1	829CK-1	S2625	
Cover — Brass, 1½"	P 64 1 1/4			
Cover — Brass, 2"	P 64 2	829CK	S2825	
Cover — Brass, 2½"	P 64 2 5/8	829CK	S3425	
Cover — Brass, ½" & 2"	P 64 1/2 2	829CK-1/2		
Cover — Brass, ¾" & 2"	P 64 3/4 2	829CK-3/4	S2425	
Cover — Non-Metallic, Duplex (x=color)	P 64 P URC xxx	828PR-xxx		
Cover — Non-Metallic, Blank (x=color)	P 64 P BP xxx			

* Brass tile trim not included with box

** For non-metallic boxes only, brass tile trim included with stamped steel box

Competitive Cross Reference Guide



Recessed Service Floor Boxes: Rectangular

Description	Thomas & Betts	Wiremold	Hubbell
Floor Box — 2-Gang, Steel (round cover)	663-SC		
Floor Box — 2-Gang, Steel	664-SC		3SFBSS
Floor Box — 2-Gang, Steel, Shallow	664 S		
Floor Box — 2-Gang, Cast Iron	664 CI		3SFBC
Floor Box — 4-Gang, Steel	665-SC	RFB4, RFB4-4DB	HBLCFB301BASE, LCFBSSA *
Floor Box — 4-Gang, Steel, Shallow	668-S	RFB4-SS	HBLCFB401BASE
Floor Box — 4-Gang, Cast Iron	665-CI	RFB4-CI-1	LCFBCA *
Floor Box — 8-Gang, Steel	667-SC	RFB9	HBLCFB501BASE
Cover — Non-Metallic, for 2-Gang	664-CST-SW Series		3SFBC Series
Cover — Non-Metallic, for 4-Gang, Steel & Cast Iron	665-CST-SW Series	S38/S39 Series	HBLTCGNT / LCFBC * Series
Cover — Metallic, for 4-Gang, Shallow	668-CST-SW Series	S38/S39 Series	HBLTCGNT Series
Cover — Non-Metallic, for 8-Gang	667-CST-SW Series	RFB119 Series	HBLTCGNT Series

* 6-Gang




Recessed Service Floor Boxes: Round

Description	Thomas & Betts	Hubbell
PVC Floor Box, Recessed Service, Concrete	68 P	RF400
Cover — Black, Non-Metallic, Recessed Service, Concrete or Wood Floors	68R-CST-BLK	RF406BK *
Cover — Gray, Non-Metallic, Recessed Service, Concrete or Wood Floors	68R-CST-GRY	
Cover — Brown, Non-Metallic, Recessed Service, Concrete or Wood Floors	68R-CST-BRN	
Cover — Beige, Non-Metallic, Recessed Service, Concrete or Wood Floors	68R-CST-BGE	RF406AL *
Cover — Black, Non-Metallic, Brass Flange, Recessed Service, Concrete or Wood Floors	68R-CST-BRS	RF515 **
Cover — Black, Non-Metallic, Al. Flange, Recessed Service, Concrete or Wood Floors	68R-CST-ALM	RF515SS **

* Concrete only

** Wood sub-floor only



Rectangular Stamped Steel Floor Boxes for Wood Sub-Floors

Description	Thomas & Betts	Wiremold	Hubbell	Lew
Floor Box — Steel, 1-gang, for wood floors	61W	880W1	B2481	1101-SP *
Floor Box — Steel, 2-gang, for wood floors	62W	880W2	B2482	6262-SP *
Carpet Trim — Brass, 1-gang	P 64 CP	817B	SB3083W	Included w/Box
Carpet Trim — Brass, 2-gang	P 64 2G CP	827B	SB3084W	Included w/Box
Carpet Trim — Non-Metallic, 1-gang (x=color)	P64P-CP-xxx	817PCC-xxx		
Carpet Trim — Non-Metallic, 2-gang (x=color)	P64P-2G-CP-xxx	827PCC-xxx		
Cover — Brass, Duplex, 2 Lift Lids	P 64 DS	828R	S3825	6304-DFB-LR
Cover — Brass, Duplex, 2 Plugs	P 64 DU	828PTC	S3625	6304-DP
Cover — Brass, GFCI	P64-GFCI	828GFTC	S3826	6304-DFB-1-GFI
Cover — Brass, ½"	P 64 1/2	829CK-1/2		6304-S
Cover — Brass, ¾"	P 64 3/4	829CK-3/4	S2425	
Cover — Brass, 1"	P 64 1	829CK-1	S2625	
Cover — Brass, 1½"	P 64 1 1/4			
Cover — Brass, 2"	P 64 2	829CK	S2825	6304-S
Cover — Brass, 2½"	P 64 2 5/8	829CK	S3425	
Cover — Brass, ½" & 2"	P 64 1/2 2	829CK-1/2		6304-S
Cover — Brass, ¾" & 2"	P 64 3/4 2	829CK-3/4	S2425	
Cover — Non-Metallic, Duplex (x=color)	P 64 P URC xxx	828PR-xxx		
Cover — Non-Metallic, Blank (x=color)	P 64 P BP xxx			

* Cast Iron



Rectangular Stamped Steel Floor Box Kits for Wood Sub-Floors

Description	Thomas & Betts	Carlton	Lew
Floor Box Kit — Steel, 1-gang, Duplex, Brass Cover	71W-DS	B121BFBB	SWB-2
Floor Box Kit — Steel, 1-gang, Duplex, Nickel Cover	71W-DS-N		SWB-2-NS
Floor Box Kit — Steel, 1-gang, GFCI, Brass Cover	71W-GFCI		
Floor Box Kit — Steel, 1-gang, GFCI, Brass Cover	71W-GFCI-N		

Competitive Cross Reference Guide




Poke-Through Systems

Description	Thomas & Betts	Wiremold	Hubbell
Flush Poke Through — 4 Power, 4 Communications	FPT4-4P-4C	RC4ATCxx	S1PT4X4xx
Flush Poke Through — 2 Power, 6 Communications	FPT4-2P-6C	RC3ATCxx, AV3ATCxx	S1PTxx *, S1PT3IMxx **
Flush Poke Through — 8 Communications	FPT4-8C	AMD8ATCxx	S1PTxx *
Flush Poke Through — Locking Receptacle, 2 Comm.	FPT4-1TL # # -2C		S1PTFIT + S1SPTL
Flush Poke Through — 2 Power, 2 Communications	FPT3-2P-2C	RC7ATCxx	PT2X2xxx
Flush Poke Through — Duplex, Metallic Cover	FPT449, FPT450		PT7FSDBR2A
Flush Poke Through — Duplex, Non-Metallic (x=color)	FPT445-SW-xxx		PT7FSDxxx
Furniture Feed Poke Through — ¾" + 1½" Hubs	FFPT4	4FFATCxx	S1PTFIT + S1SPFFxx
Furniture Feed Poke Through — 2" & 1½" Concentric Hub	FFPT3	RC9AM2TCxx	FF2xxx
Furniture Feed Poke Through — Two ½" + ¾" Hubs	FPT448-SW-xxx	RC7AFFTCxx	PT7FFSDxx
Above-Floor Poke Through Pedestal — 2 Compartment	FPT400B + FPT401A	FIT + 200-H/BTC, RC91GHBTC	PT27A + FR280xxA
Above-Floor Poke Through Pedestal — 4 Compartment	FPT400B + FPT421	FIT + 241-H/BTC, RC92GHBTC	PT27A + FR480xxA

* Can be configured as: "4 Power Only"; "2 Power + 6 Comm."; or "12 Comm. Only"

** Only 1 power receptacle with up to 6 comm.




Access Floor Modules

Description	Thomas & Betts	Wiremold	Hubbell
AFM — 2 Gang (x=color)	AFM-2-xxx		
AFM — 3 Gang (x=color)	AFM-4-xxx	AF1-xx	HBLAFB301BASE *
AFM — 3 Double-Gang (x=color)	AFM-6-xxx	AC8840, AC8104	HBLAFB301BASE *
AFM — Shallow 2 Gang + 2 Data Compartments (x=color)	AFM-6S-xxx	SAF21/2-xx	HBLAFB401BASE *
AFM — 5 Gang (x=color)	AFM-6V-xxx	AC8850, AC8105	
AFM — 10 Gang (x=color)	AFM-8-xxx	AF3-xx, AC10105	HBLAFB501BASE **
Round AFM — 3 Gang	AFM-4R-BLK	RRFB-5000	

* 4 Gang

** 8 Gang



For U.S. Customer Service and Order Inquiries,
call 1-800-816-7809 or fax 1-800-816-7810.

For International Service and Order Inquiries,
call (U.S.) 901-252-5400 or fax 901-252-1330.

For Canadian Customer Service and Order Inquiries,
call 450-347-5318 or fax 450-347-1976.

For U.S. Technical Support, call 1-888-862-3289
or fax 901-252-1321.

For International Technical Support,
call (U.S.) 901-252-5000, enter 1, 6672.

For tool service and repair,
call 1-800-284-TOOL (8665).

Thomas & Betts

Thomas & Betts Corporation
Electrical Division
8155 T&B Boulevard
Memphis, Tennessee 38125

Thomas & Betts Ltd.
700 Thomas Avenue
Iberville, Québec J2X 2M9

© 2007 Thomas & Betts Corporation. All rights reserved.
Specifications are subject to change without notice.
Printed in U.S.A. 03/07/5M Order No. GM-1060

United States
Tel: 901.252.8000
Fax: 901.252.1354

Canada
Tel: 450.347.5318
Fax: 450.347.1976

Technical Services
Tel: 888.862.3289

www.tnb.com 