



UPC Code: 078477821909
Country Of Origin: China
RoHS Compliant: Yes

# LDC20-W

20 Space Indoor Load Center Cover and Door with Window

Door and Cover for 20 Space Indoor Load Center with Observation Window, NEMA 1 Rated. Mounting Hardware Included

- MODERN DESIGN Features a white, powder coated finish for a sleek, modern appearance
- OBSERVATION WINDOW Provides at-a-glance operational status of circuit breakers. Easily identify when a breaker has tripped, and the type of fault with intuitive LED diagnostics

\*For applications up to 60A when using copper wire; or 50A when using aluminum wire \*Designed for Leviton Load Centers only

## **Technical Information**

<u>Product Features</u> Spaces / Circuits : 20 / 20

Color: White Weight: 15.8 lbs.

Type : With Window Standards & Certifications

Warranty: 10-Year Limited

UL 50: Yes

Mechanical Specifications
UL 50E: Yes

Dimensions: 32" H x 16.25" W


NEMA Enclosure Type: NEMA 1

UL 869A: Yes

Indoor

# **Cover Screw Dimensions**

DOUBLE THREAD (THREAD FORMING): #10-32 - 2A PITCH: #10 THREAD, 32 THREADS PER INCH



# SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
		1
JOB NUMBER:		1

# Leviton Manufacturing Co., Inc.

201 North Service Road, Melville, NY 11747

 $\label{eq:thm:prop:substitute} \textbf{Telephone: +1-800-323-8920} \cdot \textbf{FAX: +1-800-832-9538} \cdot \textbf{Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): +1-800-824-3005}$ 

### Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 · FAX: +1-800-824-3005 · www.leviton.com/canada

#### Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

#### Visit our Website at: www.leviton.com

© 2021 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

### Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

