



# POLY SHEETING

# Complete Project Protection

- Light Duty
- Medium Duty
- Heavy Duty
- Poly Flashing
- Reinforced Poly
- Poly Bags





# POLY SHEETING

**.31 MIL**  
to  
**2 MIL**



## LIGHT DUTY

- ☑ Lightweight, easy to drape and attach
- ☑ Provides light protection from dust, paint, and other materials
- ☑ Suitable for protecting surfaces from workers, movers, pets, etc



Mil	Size	Black	Clear
<b>Hi-Density</b>			
0.31	2 ft. x 400 ft.	—	312400HDC
0.31	9 ft. x 400 ft.	—	319400HDC
0.35	9 ft. x 400 ft.	—	359400HDC
0.35	12 ft. x 400 ft.	—	3512400HDC
0.75	9 ft. x 100 ft.	—	759100HDC
0.75	9 ft. x 400 ft.	—	759400HDC
0.75	9 ft. x 1000 ft.	—	7591000HDC
0.75	12 ft. x 400 ft.	—	7512400HDC
0.75	12 ft. x 1000 ft.	—	75121000HDC
<b>1 to 2 Mil</b>			
1	9 ft. x 400 ft.	—	19400C
1	12 ft. x 400 ft.	—	112400C
1.2	16 ft. x 100 ft.	—	1216100C
1.5	8-1/3 ft. x 100 ft.	—	1584200C
1.5	12 ft. x 200 ft.	—	1512200C
1.5	16 ft. x 100 ft.	—	1516100C
1.5	20 ft. x 200 ft.	—	1520200C
2	4-1/5 ft. x 200 ft.	—	242200C
2	8-1/3 ft. x 200 ft.	—	284200C
2	10 ft. x 100 ft.	210100B	210100C
2	12 ft. x 200 ft.	—	212200C
2	20 ft. x 100 ft.	—	220100C
2	20 ft. x 200 ft.	—	220200C

Custom sizes, colors and thicknesses available.






# MEDIUM DUTY

- ☑ Use for dust or sawdust abatement
- ☑ Moderate protection for interior or exterior jobs
- ☑ Provides a barrier against vapor and airborne particles
- ☑ 6 mil sheeting suitable for use in excavation and gardening applications

Mil	Size	Black	Clear
<b>3 Mil</b>			
3	8 ft. x 100 ft.	—	38100C
3	10 ft. x 100 ft.	310100B	310100C
3	12 ft. x 100 ft.	312100B	312100C
3	16 ft. x 100 ft.	316100B	316100C
3	20 ft. x 100 ft.	320100B	320100C
<b>4 Mil</b>			
4	3 ft. x 100 ft.	43100B	43100C
4	4 ft. x 100 ft.	44100B	44100C
4	6 ft. x 100 ft.	46100B	46100C
4	8 ft. x 100 ft.	48100B	48100C
4	8-1/3 ft. x 100 ft.	—	4813100C
4	9 ft. x 100 ft.	49100B	49100C
4	9-1/3 ft. x 100 ft.	—	4913100C
4	10 ft. x 100 ft.	410100B	410100C
4	12 ft. x 100 ft.	412100B	412100C
4	12-1/3 ft. x 100 ft.	—	4124100C
4	14 ft. x 100 ft.	414100B	414100C
4	16 ft. x 100 ft.	416100B	416100C
4	20 ft. x 100 ft.	420100B	420100C

Mil	Size	Black	Clear
<b>4 Mil</b>			
4	24 ft. x 100 ft.	424100B	424100C
4	28 ft. x 100 ft.	428100B	428100C
4	32 ft. x 100 ft.	432100B	432100C
4	40 ft. x 100 ft.	440100B	440100C
<b>6 Mil</b>			
6	3 ft. x 100 ft.	63100B	63100C
6	4 ft. x 100 ft.	64100B	64100C
6	6 ft. x 100 ft.	66100B	66100C
6	8 ft. x 100 ft.	68100B	68100C
6	8-1/3 ft. x 100 ft.	—	684100C
6	10 ft. x 100 ft.	610100B	610100C
6	12 ft. x 100 ft.	612100B	612100C
6	14 ft. x 100 ft.	614100B	614100C
6	16 ft. x 100 ft.	616100B	616100C
6	20 ft. x 100 ft.	620100B	620100C
6	24 ft. x 100 ft.	624100B	624100C
6	28 ft. x 100 ft.	628100B	628100C
6	32 ft. x 100 ft.	632100B	632100C
6	40 ft. x 100 ft.	640100B	640100C

Custom sizes, colors and thicknesses available.







# POLY SHEETING

**8 MIL  
to  
20 MIL**

**4  
MIL**

**6  
MIL**

**30  
MIL**

## HEAVY DUTY

- ✓ For heavy-duty worksite applications
- ✓ Provides tough protection from the elements
- ✓ Suitable for longer-term commercial applications

Mil	Size	Black	Clear
8	20 ft. x 100 ft.	820100B	820100C
10	10 ft. x 100 ft.	1010100B	1010100C
10	20 ft. x 100 ft.	1020100B	1020100C
20	12 ft. x 150 ft.	2012150B	—
20	14 ft. x 150 ft.	2014150B	—
20	16 ft. x 150 ft.	2016150B	—
20	18 ft. x 150 ft.	2018150B	—
20	24 ft. x 100 ft.	2024150B	—


## POLY FLASHING

- ✓ Provides a barrier against vapor and airborne particles
- ✓ Provides tough protection from the elements
- ✓ Suitable for above and below grade applications

Mil	Size	Black
<b>4 Mil</b>		
4.5	12 in. x 300 ft.	4512300BF
4.5	18 in. x 300 ft.	4518300BF
<b>6 Mil</b>		
6	12 in. x 300 ft.	612300BF
6	18 in. x 300 ft.	618300BF
6	24 in. x 300 ft.	624300BF
<b>30 Mil</b>		
30	12 in. x 150 ft.	3012150BF
30	16 in. x 150 ft.	3016150BF
30	18 in. x 150 ft.	3018150BF



Custom sizes, colors and thicknesses available.



**.75 MIL  
to  
2 MIL**

**3  
MIL**

**4  
MIL**

**6  
MIL**

## CONSUMER POLY

- ☑ Best-in-class, color-coded packaging eliminates mil thickness guesswork
- ☑ Available in a variety of popular sizes and thicknesses from light-duty protection to medium-duty excavation and gardening applications.



Mil	Size	Black	Clear	Rolls/Box
<b>.75 Mil to 2 Mil</b>				
.75	9 ft. x 100 ft.	—	759100C	6/12*
2	9 ft. x 100 ft.	—	29100C	4
<b>3 Mil</b>				
3	10 ft. x 20 ft.	—	31020C	12
3	10 ft. x 25 ft.	31025B	31025C	4/8*
<b>4 Mil</b>				
4	3 ft. x 50 ft.	4350B	4350C	8
4	4 ft. x 50 ft.	4450B	4450C	8
4	6 ft. x 50 ft.	4650B	4650C	1
4	8 ft. x 50 ft.	4850B	4850C	4/8*
4	10 ft. x 25 ft.	41025B	41025C	8
4	10 ft. x 50 ft.	41050B	41050C	4
4	12 ft. x 50 ft.	41250B	41250C	4
4	15 ft. x 25 ft.	41525B	41525C	4
4	16 ft. x 50 ft.	41650B	41650C	1
4	20 ft. x 25 ft.	42025B	42025C	4
4	20 ft. x 50 ft.	42050B	42050C	1
<b>6 Mil</b>				
6	10 ft. x 25 ft.	61025B	61025C	8
6	10 ft. x 50 ft.	61050B	61050C	1
6	12 ft. x 50 ft.	61250B	61250C	1
6	16 ft. x 50 ft.	61650B	61650C	1
6	20 ft. x 25 ft.	—	62025C	1
6	20 ft. x 50 ft.	62050B	62050C	1

\*Number of bags per box vary by region. Contact your PrimeSource representative for more information.





# REINFORCED POLY

New Grip-Rite® string reinforced poly features woven reinforced bands with perforated eyelets that enable easy and secure fastening to scaffolding. Used in combination with Grip-Rite anchor ties, our enclosure system forms a reliable barrier between the jobsite and the elements.

Available in four styles to suit all of your jobsite protection needs:

**String reinforced poly — with seam and edge reinforcements** (clear)

Produced using a 2.5 x 2.5 tear resistant Leno scrim with double strings in machine direction


- Coating is ultra-clear film quality virgin HDPE for maximum elasticity and light emission
- Total fabric weight is 90 g/m<sup>2</sup>
- Woven reinforcing bands with perforations every 10.0 cm for easy and secure fastening to scaffolding\*
- The most clear, light emitting, and durable string poly on the market today

**String reinforced poly — flame retardant with the same reinforcing bands and eyelets as our non-flame retardant** (milky white)

**Woven reinforced poly** (clear)

- Tough 8 x 8 scrim woven poly, coated with clear HDPE on both sides, 65 g/m<sup>2</sup> weight

**Woven reinforced poly – flame retardant** (milky white)



Grip-Rite reinforced poly is folded and rolled on a paper core and packed in printed carton for easy shipping!

### Woven Reinforced Poly Specifications

Material	Scrim	Weight	Coating	Color	Test Method: ASTM D751			
					Tensile		Tear	
					Weft	Warp	Weft	Warp
Woven clear polyethylene tapes	8 x 8	65 g/m <sup>2</sup>	Two side HDPE coated	Natural/Clear FR: Milky White	120 lb.	150 lb.	35 lb.	35 lb.

g/m<sup>2</sup> – grams per square meter  
 HDPE – high density polyethylene  
 LDPE – low density polyethylene  
 Scrim data provided is weaves per square inch

### String Reinforced Poly Specifications

Material	Scrim	Weight	Coating	Color	Test Method: ASTM D751							
					Tensile		Tear		Elongation to break		Trapezoid tear	
					Weft	Warp	Weft	Warp	Length	Width	Length	Width
HDPE film grade fabric LDPE Leno scrim	2.5 x 2.5	90 g/m <sup>2</sup>	4 mil film, 18 mil cross scrim	Clear FR: Milky White	65 lb.	92 lb.	22 lb.	37 lb.	16.8 lb.	22.7 lb.	24.8 lb.	16.5 lb.

Clear string poly and clear woven reinforced poly are non-flame retardant. White FR woven and white FR string poly are flame retardant. Grip-Rite reinforced poly sheets do not include hems or grommets. Woven reinforced bands are only available on Grip-Rite string poly. Specifications subject to change without notice.







- ☑ For heavy-duty worksite applications
- ☑ Provides tough protection from the elements
- ☑ Suitable for longer-term commercial applications

SKU	Description	Size		Rolls/ Carton	Rolls/ Pallet
		Cut	Finish		
610100CSRF	String Reinforced Poly	10 ft. x 100 ft.	10 ft. 0 in. x 100 ft.	1	75
612100CSRF	String Reinforced Poly	12 ft. x 100 ft.	12 ft. 0 in. x 100 ft.	1	36
616100CSRF	String Reinforced Poly	16 ft. x 100 ft.	16 ft. 0 in. x 100 ft.	1	36
620100CSRF	String Reinforced Poly	20 ft. x 100 ft.	20 ft. 0 in. x 100 ft.	1	36/27
624100CSRF	String Reinforced Poly	24 ft. x 100 ft.	24 ft. 0 in. x 100 ft.	1	27
632100CSRF	String Reinforced Poly	32 ft. x 100 ft.	32 ft. 0 in. x 100 ft.	1	27/12
640100CSRF	String Reinforced Poly	40 ft. x 100 ft.	40 ft. 0 in. x 100 ft.	1	22/15
620100CSFR	White FR String Reinforced Poly	20 ft. x 100 ft.	20 ft. 0 in. x 100 ft.	1	36/27
610100CR	Clear Woven Reinforced Poly	10 ft. x 100 ft.	9 ft. 8 in. x 100 ft.	1	50
620100CR	Clear Woven Reinforced Poly	20 ft. x 100 ft.	19 ft. 2 in. x 100 ft.	1	50
640100CR	Clear Woven Reinforced Poly	40 ft. x 100 ft.	38 ft. 8 in. x 100 ft.	1	18
620100CRFR	White FR Woven Reinforced Poly	20 ft. x 100 ft.	19 ft. 2 in. x 100 ft.	1	50

Rolls/Pallet vary by region. Contact your PrimeSource representative for more information.



String Reinforced Poly




Woven Reinforced Poly



Woven reinforced bands with perforated eyelets

## Anchor Ties ES30GR

- ☑ For securing reinforced poly to scaffolding
- ☑ For connecting sheets of reinforced poly





# POLY BAGS

## ALL PURPOSE CONTRACTOR BAGS

- ✓ Made from recycle product
- ✓ Heavy trash clean-up
- ✓ Lawn clean-up
- ✓ All purpose clean-up
- ✓ 3 Mil - 42 gallon
- ✓ Ties included

SKU	Color	Size	Bags/Box	Boxes/Pallet
GRAPCBAG20	Black	33 in. x 48 in.	20	168
GRAPBAG20C	Clear	33 in. x 48 in.	20	168



## HEAVY DUTY CONTRACTOR BAGS

- ✓ Performs under the most demanding conditions
- ✓ Provides maximum puncture and tear resistance
- ✓ Self-dispensing carton
- ✓ 3 Mil - 42 gallon
- ✓ Ties included
- ✓ Ideal for jobs that demand the extra strength:
  - Construction sites
  - Demolition disposal
  - Remodeling jobs
  - Rugged clean-up

SKU	Color	Size	Bags/Box	Boxes/Pallet
GRHDCBAG20	Black	33 in. x 48 in.	20	180
GRHDBAG20C	Clear	33 in. x 48 in.	20	180



**PRIME SOURCE**  
BUILDING PRODUCTS, INC.

800-676-7777  
[www.grip-rite.com](http://www.grip-rite.com)  
[www.primesourcecbp.com](http://www.primesourcecbp.com)

Grip-Rite® poly sheeting, plastic bags and reinforced poly sheeting are distributed by PrimeSource Building Products, Inc.

