Dimmer model numbers

Incandescent/halogen dimmers

Dimmers with on/off switch	
Single-pole	S-600P- <u>CC</u> 3
120V 600W	
Single-pole	S-10P- <u>CC</u> ³
120V 1000W	
3-way	S-603P- CC ³
120V 600W	
3-way	S-103P- CC 3
120V 1000W	

eco-dime dimmer with on/off switch

3-way/single-pole	S-603PG- <u>EE</u> 2
120V 600W	
and dim model quarantees a	t loast 15% operav

eco-dim model guarantees at least 15% energy savings compared to a standard switch.

Dimmers with on/off switch and locator light

Single-pole	S-600PNL- <u>CC</u> 3
120V 600W	
Single-pole	S-10PNL- <u>CC</u> 3
120V 1000W	
3-way	S-603PNL- CC 3
120V 600W	
3-way	S-103PNL- CC 3
120V 1000W	

Slide-to-off dimmers

Single-pole	S-600- <u>CC</u> 3
120V 600W	
Single-pole	S-1000- <u>CC</u> 3
120V 1000W	

For dual slide-to-off dimmers (two loads), see page 111.

Dimmers with on/off switch		
Single-pole	SLV-600P- <u>CC</u> 3	
120V 600VA (450W)		
3-way	SLV-603P- <u>CC</u> 3	
120V 600VA (450W)		
The stated VA (Volt-Ampere) rating includes		
the magnetic transformer heat losses and the		
lamp load. The stated W (Watt) rating is the		
maximum lamp wattage based on assumed		

Electronic low-voltage dimmers*

Dimmers with on/off switch

20% transformer loss.

Single-pole	SELV-300P- <u>CC</u> ³	
120V 300W		
3-way	SELV-303P- CC ³	
120V 300W		
Certain LED drivers are dimmable using an		
ELV dimmer, for more information, visit		

www.lutron.com/LED.

<u>CC</u>³: Gloss color codes, see pg. 105 <u>EE</u>²: Available in White (WH), Ivory (IV), Almond (AL) and Light Almond (LA)

(Wallplates not included, order separately, see pg. 160)

All models must be derated if ganged unless otherwise noted, see pg. 170.

*Requires neutral wire connection.