

*Example Above Showing 1/2" Thread Part

Anchor	Threads	Rod Dia.	CAT #
Wood-Knocker II+ Push-In	Single	3/8"	PFM2610038
		1/2"	PFM2610012



Single Thread



Approvals



DEWALT Advantage

Labor Savings

- Push-In Wood Form Concrete Insert
- Efficiency and accuracy of multi point pre fab assemblies

Cinch Nut

- Alignment features ensures maximum load values
- Strong Molded Injection Model Mechanism
- No Misalignment unlike competition

Versatility

- Anchors accept all universal UNC rods of respective sizes
- No Proprietary rods or extra pieces required
- Burred and/or "dirty" rods can be used

Safety Features

- Threaded cover to prevent disassembly or failures
- First time connection with proper installation

Bang-It+ Push-In

Approvals



DEWALT Advantage

Labor Savings

- Push-In Steel Deck Concrete Insert
- Efficiency and accuracy of multi point pre fab assemblies

Cinch Nut


- Alignment features ensures maximum load values
- Strong Molded Injection Model Mechanism
- No Misalignment unlike competition

Versatility

- Anchors accept all universal UNC rods of respective sizes
- No Proprietary rods or extra pieces required
- Burred and/or "dirty" rods can be used
- Approved for All Deck Orientations

Safety Features

First time connection with proper installation



*Example Above Showing 1/2" Thread Part

Anchor	Threads	Rod Dia.	CAT #
Bang-It+ Push-In	Single	3/8"	PFM3610038
		1/2"	PFM3610012





Single Thread



Prefab &
Push-In

OR

Twist On &
Push Thread Into



Example Above is showing both 3/8" or 1/2" Part

Anchor	Threads	Rod Dia.	CAT #
Coupler Push-In	Single	3/8"	PFM3613038
		1/2"	PFM3613012



Single Thread



DEWALT Advantage

Labor Savings

- Push in locking feature. Efficiency and accuracy of single or multi point pre fab assemblies

Cinch Nut

- Alignment features ensure maximum load values

Versatility- Dual Orientations

- Coupler will accept all universal UNC rods for respective sizes-
- Can be used in two orientations/directions: Thread Side Up, Push-In Side Down or Push-In Side Up, Thread Side Down

Enhancement

- Users can thread on jobsite or in prefab shops
- Thread on and Push in in two orientations

Wood-Knocker II+ Installation Tool PFM3612000

Accessory Parts:

Magnetic Tip/Detent Pin
PFM3612001



Detent Pin
PFM3612002



*Use with DEWALT Wood-Knocker II+ Family

DEWALT Advantage

Performance

- Heavy duty steel design and magnetized tip
- Installation of Wood-Knocker II+ into wood forms with ease

Safety


- Safety/Instructional Manual
- No pinch design with locking mechanism

Productivity

- Install more inserts than with traditional method. 5000+ hits with one magnetized tip.
- Will work with ALL SKU's of DEWALT Wood-Knocker II+

Serviceability

- Pin and tip will also be separate part numbers
- Future service will be easy for stocking and changing parts on jobsite



Deck Driller Extension PFM3611000



*For use with DEWALT Bang-It+ and DDI+ Cast in Place Inserts
*20V Drill & Accessory not included

DEWALT Advantage

Time Saving

- 28" length to limit bending over on jobsite and increase productivity

Versatility

- Can attach to 1/2" Keyless chuck Drills or 7/16" Quick Change Drills

Accessories

- All metal 1/2" chuck will hold Unibit/step bit as well as hole saw attachments ideal for drilling through thin gauge steel or metal

Performance

- One piece carbon steel unit to withstand tough jobsite conditions



*Bridge Bar Sold Separately
*For use with Bang-It+



DEWALT Advantage

Anchoring Lineup

- Without Screws (PFM3613000) or With Screws (PFM3613001)
- Screw hole Size #10 (Small Holes on Both ends)
- Fits All Bang-It+ Inserts (Larger Holes in Middle)

Total Solution

- Place Bang-It+ over angled portion of metal deck.
- Provides enhanced local placement of Bang-It+ steel deck inserts

Versatility

- Will fit older and newer style Bang-It+
- 7/8" & 1 1/4" Holes

Interchangeable

- Bridge Bar becomes female DDI+ when paired with Bang-It+ to use multiple thread sizes