
4" Miniature Non-IC Housing

LAMP WATTAGE: (1) MAXIMUM 50W R/PAR20/A19



DESIGNED FOR 2" X 6" JOIST CONSTRUCTION






ITEM SELECTOR: (Please check the boxes below for the option desired)

D. JUNCTION BOX - UL listed for through-branch circuit wiring and has four 1/2" KOs, one 3/4" KO and four Romex knockouts with true pry-out slots and strain clamps.

E. THERMAL PROTECTION - Standard thermal prooverlamping and misuse of insulation material.



BEAM DIA. MEASURED AT 50% OF NADIR F.C.

FEATURES

- Thermally Protected Non-IC housing.
- · Designed for accent and task lighting applications.
- · Adjustable socket bracket.
- Wire through junction box.
- · Preinstalled adjustable bar hanger.
- Dependable, favorable design and effortless installation.
- 5 1/2" height allows use in 2" x 6" joist construction.
- · Special screw on the frame locks bar hangers in place which prevents the housing from any movement once installed.
- · Preinstalled socket cap provides electrical contact protection against dust, paint and over spray.

OPTIONS

- AIR-SHUT
- · Gasket to prevent air flow from heated or air conditioned spaces.
- · Meets all national air flow requirements.

UL AND C-UL LISTED

- For Damp location
- For Feed-through wiring

TYPE AIR-SHUT OPTION TRIM TYPE BAFFLE REFLECTOR TRIM/RING GLASS AF402 W **B4** AT (W) With quick connects B401 B406 CL WH Green B421 B407 B471 Ρ RG 🗌 BK Yellow SN Pink SN B402 B462 B472 W CP CP MB CP B432 B452 B473 Brown B420 B455 Navy Blue B474 BZ BZ CH B496 B451 B441 CP CP PB Orange BZ B497 B454 B443 SN SN Blue B403 B437 B442 SHZ White Red B461 B438 B444 B405 B439 B422 AF401 BAFFLE W W P Bla REELECTOR TRIM/RING CL Chrome Gold WH BK SN CP CH PB BZ Whit White **Specifications:** Black RG Black W MB BZ CP SN Satin Nickel White Satin Nickel Black Bronze **B4** CP BZ Copper Copper Chrome Bronze TRIM TYPE BAFFLE AIR-SHUT OPTION **BEELECTOR** TRIM/RING GLASS Copper Polish Brass SN Satin Nickel Bronze SH7 Satin Haze *For custom baffle, reflector, trim ring, glass color and lens options, please consult factory

Sample of Catalog Number: B4-AT-W-B401-W-WH



Submittal form is available @ www.iuseelite.com Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions subject to change without notice

REV: ELITE LIGHTING-SPEC-06-29-2011

Type:

DESCRIPTION

Catalog Number:

Project Name:

R4

Note:

Small aperture thermally protected, specification grade recessed housing. For new construction non-insulated ceilings or where insulation can be kept 3" from housing. Accommodates up to 50W PAR20, R20, and A19 lamps. Furnished with preinstalled adjustable bar hangers. Junction box is provided with four 1/2" KOs, one 3/4" KO and four Romex knockouts with strain relief.

SPECIFICATION


A. HOUSING - High temperature painted 22 gauge deep drawn single piece housing. Adjusts vertically in plaster frame to accommodate 1/2" to 1-3/8" ceiling. Accommodate lamps up to 50W depending on trim used.

B. SOCKET - Medium base screw shell porcelain socket preinstalled on adjustable mounting bracket is designed to allow usage of different lamp types, as well as proper and consistent lamp positioning.

C. BAR HANGERS - Preinstalled bar hangers allow housing to be positioned and locked at any point within a 24" joist span and can be shortened for 12" joists. They contain a double-headed real nail for secure attachment into the joist. Bar hanger nails are installed on a 20° downward angle for better contact, and the 90° pivoting mounting plate makes installation fast and accurate. Bar hangers can fit onto T-Bar spline with additional slots and holes for special mounting methods if necessary.

tection device guards against improper installation,

4" INCANDESCENT TRIMS



4"

550

WWW.IUSEELITE.COM • TEL: 1-877-375-5555 • FAX: 1-877-375-3333

ALL PRODUCTS ARE U.S. AND FOREIGN PATENT PENDING

4" INCANDESCENT TRIMS


Exotic Glass Collection

Elite Lighting now offers a new line of exotic glass trims. The new series of glass trims can elegantly complement any color scheme in any environment. We are certain that with such a wide selection, you will find the perfect colored trim for your project.



WWW.IUSEELITE.COM • TEL: 1-877-375-5555 • FAX: 1-877-375-3333

4" INCANDESCENT TRIMS



ALL PRODUCTS ARE U.S. AND FOREIGN PATENT PENDING