


PERFORMANCE

Watts	5W
Color Temp	4000K
Lumens	600 lm
Efficacy	109.1 lm/W
Color Accuracy	80 CRI
L70 Lifespan	50,000 Hours
Type	Constant Current
120V	
208V	
240V	
277V	
Input Watts	5.5W

DIMENSIONS



Weight: 0.2 lbs

TECHNICAL SPECIFICATIONS

Performance

Product Type
Compacts

Input Wattage
5.5W

Lumens (Nominal)
600 Lm

L70 Lifespan
50,000-Hour LED lifespan based on IES LM-70 results

Wattage Equivalency
13W Gx23

LED Characteristics

Color Accuracy (CRI)
80

Color Temperature
4000K

Electrical

THD
<20%

Power Factor
>0.9

Dimmable
Non-Dim

Input Voltage
120-277 Type B (Type A dependent on ballast)

Operating Frequency
50/60Hz

Construction

Bulb Shape
PLS-Horizontal

Enclosure Material
Polycarbonate

Housing Finish
White

Lens Finish
Frosted

Base Type
2-Pin Gx23-2

Optical

Beam Angle
110°

Installation

Installation Method
UL Type A with Magnetic Ballasts & UL Type B (Dual Mode)

Burning Position
Horizontal
