

### Dimmer model numbers

#### Incandescent/halogen dimmers

##### Preset dimmers

|                           |                                 |
|---------------------------|---------------------------------|
| Single-pole<br>120V 600W  | AY-600P- <b>CC</b> <sup>3</sup> |
| Single-pole<br>120V 1000W | AY-10P- <b>CC</b> <sup>3</sup>  |
| 3-way<br>120V 600W        | AY-603P- <b>CC</b> <sup>3</sup> |
| 3-way<br>120V 1000W       | AY-103P- <b>CC</b> <sup>3</sup> |

##### Preset dimmers with locator light

|                          |                                   |
|--------------------------|-----------------------------------|
| Single-pole<br>120V 600W | AY-600PNL- <b>CC</b> <sup>3</sup> |
| Single-pole<br>1000W     | AY-10PNL- <b>CC</b> <sup>3</sup>  |
| 3-way<br>120V 600W       | AY-603PNL- <b>CC</b> <sup>3</sup> |
| 3-way<br>120V 1000W      | AY-103PNL- <b>CC</b> <sup>3</sup> |

##### eco-dim® preset dimmer

|                                |                                  |
|--------------------------------|----------------------------------|
| 3-way/single-pole<br>120V 600W | AY-603PG- <b>EE</b> <sup>2</sup> |
|--------------------------------|----------------------------------|

eco-dim model guarantees at least 15% energy savings compared to a standard switch.

#### Magnetic low-voltage dimmers

##### Preset dimmers

|                                  |                                   |
|----------------------------------|-----------------------------------|
| Single-pole<br>120V 600VA (450W) | AYLV-600P- <b>CC</b> <sup>3</sup> |
| 3-way<br>120V 600VA (450W)       | AYLV-603P- <b>CC</b> <sup>3</sup> |

The stated VA (Volt-Ampere) rating includes the magnetic transformer heat losses and the lamp load. The stated W (Watt) rating is the maximum lamp wattage based on assumed 20% transformer loss.

**CC**<sup>3</sup>: Gloss color codes, see pg. 125

**EE**<sup>2</sup>: Available in White (WH), Ivory (IV), Almond (AL) and Light Almond (LA)  
(Wallplates not included, order separately, see pg. 168)

### Dimmer, fan and fan/light control model numbers

#### 3-wire fluorescent dimmers\*

##### Preset dimmers

|                              |                                      |
|------------------------------|--------------------------------------|
| 3-way/single-pole<br>120V 8A | AYF-103P- <b>CC</b> <sup>3</sup>     |
| 3-way/single-pole<br>277V 6A | AYF-103P-277- <b>CC</b> <sup>3</sup> |

For use with Hi-lume®, Hi-lume® Compact SE, Hi-lume® 3D, Eco-10®, EcoSystem® ballasts.

Also compatible with Hi-lume® LED driver.

No derating required if ganged.

Adjustable low-end trim.

#### Hi-lume® LED drivers: 3-wire fluorescent dimmers\*

##### Preset dimmers

|                              |                                      |
|------------------------------|--------------------------------------|
| 3-way/single-pole<br>120V 8A | AYF-103P- <b>CC</b> <sup>3</sup>     |
| 3-way/single-pole<br>277V 6A | AYF-103P-277- <b>CC</b> <sup>3</sup> |

For use with Hi-lume LED driver only.

For more information on Hi-lume LED drivers, visit [www.lutron.com/HilumeLED](http://www.lutron.com/HilumeLED).

No derating required if ganged.

Adjustable low-end trim.

#### Fan control

##### Fan control—quiet 3-speed

|                                |                                 |
|--------------------------------|---------------------------------|
| 3-way/single-pole<br>120V 1.5A | AYFSQ-F- <b>CC</b> <sup>3</sup> |
|--------------------------------|---------------------------------|

#### Fan/light control

##### Fan control and dimmer—quiet 3-speed

|  |                                  |
|--|----------------------------------|
| Single-pole fan control<br>120V 1.5A (left)                  | AY2-LFSQ- <b>CC</b> <sup>3</sup> |
| Single-pole dimmer 120V 300W<br>incandescent/halogen (right) |                                  |

All models must be derated if ganged unless otherwise noted, see pg. 170.

For more information on ballasts, visit [www.lutron.com/ballasts](http://www.lutron.com/ballasts).

\*Requires neutral wire connection.